

PHASE II SUBSURFACE INVESTIGATION(S)

SITE LOCATION:

Morey Corporation 2659 Wisconsin Ave. Downers Grove, Illinois

PREPARED BY:

ENvironmental Management And Resource Consultants, Inc. (ENMARC) 229 E. Custer Street Lemont, Illinois 60439

PHASE II SUBSURFACE INVESTIGATION(S)

Morey Corporation 2659 Wisconsin Ave. Downers Grove, Illinois

I. INTRODUCTION

On May 9th, 2000, a Phase I Environmental Site Assessment of the above referenced Property was completed on behalf of the potential purchaser, Cable/Comm Technologies. The results of the Phase I ESA indicated two areas of potential environmental concern: (1) the clay potting compound mixing area inside of the building which contain evidence of spilled materials and structural degradation of the underlying concrete floor; and (2) an area exterior to the building in which a drain leading from the chemical and waste storage area exits through the wall. There was evidence of stressed vegetation within this area, indicating that chemical spills have impacted the these surface soils by means of migration through the storage room drain. Figure 1 provides a map identifying the locations of these potential concerns.

Additionally, on May 18th, ENMARC had been requested to mobilize to the site to collect samples from this exterior area (@ the end of the drainage piping), following the removal of approximately 1.5 cubic yards by the Morey Corporation. The Morey Corporation had experienced a release of a flux thinner (containing the hazardous compounds: isopropanol and methanol) that had migrated through the drain located in the chemical storage room and into the environment at this location. An approximate 3' x 3' x 4' deep excavation had been manually dug and the soils placed into containers. ENMARC collected samples from the sidewalls and bottom of the excavation and subjected them to field screening analysis using a Photoionization Detection (PID) meter. Field screening analysis of the sidewall samples collected from 2-3' depth intervals resulted in no PID readings. However, the bottom sample collected and subjected to field screening indicated a PID reading @ 8.7 ppm.

Subsequently, ENMARC collected an additional sample off the bottom of the small excavation area (@ 4') for submittal to an environmental testing laboratory for analytical documentation of the levels of contaminants that may be present. The bottom sample was collected pursuant to EPA Method 5035 (refer to Section II for details of sampling method), labeled and placed into an iced cooler pending transport to an environmental testing laboratory. The sample was submitted under chain-of-custody to the laboratory and analyzed for VOC's (Volatile Organic Compounds), SVOC's (Semi-Volatile Organic Compounds) and isopropanol and methanol compounds using EPA SW-846 test methods. Results of the analysis indicated levels of several contaminants above the current Tier 1 standards adopted under 35 Illinois Administrative Code (IAC) Part 742, Tiered Approach to Corrective Action Objectives (TACO). These contaminants include: tetrachloroethene, trichloroethene and vinyl chloride.

As a result, an extended subsurface investigation was completed on June 2nd, 2000. The intent of the follow-up subsurface investigation completed was to attempt to delineate the extent of the impact plume of contaminants discovered at the site.

II. EXTENDED PHASE II FIELD ACTIVITIES

On June 2, 2000, ENMARC mobilized the necessary equipment and personnel to the subject Property to install borings by means of Geoprobe methods to determine the extent of the impact previously discovered at the site, and to complete one boring within the potting compound mixing area. A total of seven borings were completed.

Figure 2 and Figure 3 provides illustrations of the location of the borings completed as part of the extended Phase II subsurface investigation completed. The samples were collected and analyzed in accordance with EPA protocol:

(1)Sample Collection

The borings were continuous sampled through their entire length for purposes of classifying the soils beneath the site, in addition to collecting samples at 2 foot depth intervals for field screening analysis and potential laboratory analytical documentation of the absence/presence of dry cleaning compounds. The samples collected from each depth interval were split into three portions. Pursuant to EPA Method 5035, approximately 5 ± g (weighed in the field) aliquots of the initial portion were placed into each of three pre-preserved 40 ml VOA bottles (one was preserved with methanol and two with a sodium bisulfate/deionized water solution) supplied by the laboratory. An additional portion was place into a 4 ounce glass jar with teflon lid for dry weight determinations, and the remaining portion was placed into a heavy duty plastic bag and sealed for purposes of "headspace" field screening analysis. The laboratory samples (VOA bottles and 4 ounce glass jars) were placed into an iced cooler pending submittal to an environmental testing laboratory for analytical confirmation of the levels of suspect constituents.

All sampling equipment was decontaminated between sample locations utilizing a detergent wash, i.e., tri-sodium phosphate; tap water rinse and a final distilled water rinse and allowed to air dry. A new, clean pair of nitrile gloves was utilized for each sampling interval.

(2) Field Screening:

The samples collected and placed into the heavy duty plastic bags were subjected to a heated environment for approximately ten minutes to enhance the volatilization of any organic contaminants prior to headspace screening with a properly calibrated Photoionization Detection (PID) meter, HNu Model HW-101. The probe of the PID meter was subsequently inserted through the plastic bag and into the "headspace" of the glass container and the maximum reading recorded. The PID meter was utilized to assess, in the field, the presence of potential impact. Boring logs, including the field screening analysis results were recorded in the field for each boring location. Attachment 1contains copies of the boring logs completed for the project.

(3) Sample Submittal to the Laboratory

The samples collected were labeled with the following information: Client, Site Name, Date, Sample Identification # and samplers initials. The samples were placed into an "iced" cooler for preservation purposes during transport to the laboratory. A laboratory chain-of-custody sheet was completed and submitted with the samples relinquished to the laboratory for analysis. Due to the lack of the presence of semi-volatiles and other compounds analyzed in the initial sample collected on 5/18/2000, all samples were subjected to analysis for VOC's only using EPA Method 8260.

III. SITE GEOLOGY

Pursuant to geologic reference sources, specifically the 1984 Berg Circular entitled, "Potential for Contamination of Shallow Aquifers from Land Burial of Municipal Wastes", the site may be located within one of the following Berg Geologic Zones:

Zone Ax: Alluvium, a mixture of gravel, sand, silt and clay along streams, variable in

composition and thickness;

Zone C2: Sand and gravel within 20-50 feet of land surface, overlain and underlain

by relatively impermeable till, other fine-grained material, and/or bedrock;

Zone E: uniform, relatively impermeable silty or clayey till at least 50 feet thick; no

evidence of interbedded sand and gravel.

Visual inspection of the samples collected of the soils beneath the site indicates that the native soils consist of silty clay materials within the shallow subsurface environment, up through a depth of approximately 12 feet below grade near the source (where the drain pipe exits the building). Within this area in which the source is located, the elevation is approximately 4-5 feet higher than the remaining topography, particularly that at and north of the loading dock area. At approximately 11' feet below grade at the source location, a stiff, grey silty clay layer is encountered which appears to be the confining layer absent of impact above TACO Tier 1 standards. This confining layer is subsequently encountered at shallower depths across the site in the direction of the loading dock. Additionally, the initial strata immediately encountered at the site consists of non-native clayey fill materials. Without the completion of borings to greater depths, the type of Berg soils that underlay the site cannot be defined.

IV. SOIL SAMPLE ANALYSIS

Samples from the depth interval indicating the highest levels of potential impact (based upon visual and/or field screening analysis) from each boring location were submitted to an environmental testing laboratory for purposes of analysis for Volatile Organic Compounds (VOC's, EPA Method 8260), which were initially detected in the first sample collected and analyzed from the site.

Laboratory analysis of the samples collected did result in levels of several (VOC) compounds that had initially been detected at several of the borings installed. A table summarizing the results of the analysis completed in comparison to TACO Tier 1 standards is incorporated as Attachment 2, along with copies of the laboratory analysis reports for each of the samples submitted for analysis.

Based upon review of the analysis results, the highest impact is located at the bottom of the concrete stoop located immediately adjacent to the unloading dock area. It appears that releases of contaminants from the drainage pipe would follow the topography of the ground surface and flow towards the bottom of the concrete steps towards the unloading dock. Materials appear to have accumulated at this location and infiltrated into the ground.

V. CONCLUSIONS AND RECOMMENDATIONS

In general, the levels detected at the site were compared to the TACO Tier 1 standards which comprise the initial Tier of cleanup objectives developed under TACO by the Illinois EPA. TACO Tier 1 evaluations are used as the first basis of comparison in establishing impact and corresponding remediation. Tier 1 standards are based upon three types of exposure: ingestion, inhalation and the migration path to groundwater ingestion routes of exposure, and is additionally based upon property use, i.e., residential versus commercial/industrial. TACO uses a series of ASTM equations which models the transport of contaminants through the subsurface. Tier 1 standards are calculated from these equations using conservative, generic calculation parameters. It appears that the primary route of exposure that the contaminant levels at this site exceed, under a Tier 1 evaluation, is the migration to groundwater ingestion exposure route. There are, however, several locations at which the inhalation exposure routes are additionally exceeded. A summary identifying these exceedences is incorporated into the following table:

SAMPLE I.D./DEPTH	PARA	AMETERS ABOVE TACO TIE RESULTS IN PPM	R 1		
	TETRACHLOROETHENE	TRICHLOROETHENE	VINYL CHLORIDE		
S-1 @ 4'	14.9	0.618	0.116		
B2 @ 8-10'	66.7	5.96	ND		
B4 @ 6-8'	220.8	0.496	ND		
B5 @ 4'	4.03	0.250	ND		
B6 @ 4'	97.7	0.129	ND		
B7 @ 4'	0.147	ND	ND		
IEP	A TACO TIER I CLEANUP OF	BJECTIVES - RESIDENTIAL,	PPM		
INGESTION	12	58	0.3		
INHALATION	11	5	0.03		
IEPA TAC	O TIER I CLEANUP OBJECTI	VES - COMMERCIAL/INDUS	TRIAL, PPM		
INGESTION	110	520	3		
INHALATION	. 20	8.9	0.06		
IEPA TAC	O TIER I CLEANUP OBJECTI	VES - CONSTRUCTION WO	RKER, PPM		
INGESTION	2400	1200	65		
INHALATION	28	12	0.08		
. IEPA TACO TIER I CL	EANUP OBJECTIVES - MIGF COMMERCIA	RATION TO GW INGESTION L/INDUSTRIAL	(BOTH RESIDENTIAL &		
CLASS I	0.06	0.06	0.01		
CLASS II	0.3	0.3	0.07		

Phase II Investigation(s) 5/18/2000 and 6/2/2000 The Morey Building 2659 Wisconsin Ave., Downers Grove, IL

Figure 2 also provides a map in which an impact boundary, of those levels exceeding Tier 1 standards, is estimated.

However, TACO additionally establishes Tier 2 and Tier 3 objectives, which are based on the development of site-specific standards/modeling. In lieu of the conservative, all encompassing parameters for use in calculating cleanup objectives as done under Tier 1, Tier 2 standards are based upon the use of site-specific parameters that are developed from the collection and geotechnical testing of the soils at the site. Tier 3 further exemplifies site specific development of standards by allowing the use of additional modeling of the contaminants present at a site, in addition to considering other conditions not allowed under Tier 1 or Tier 2.

Additionally, under TACO evaluations, the use of institutional controls and engineering barriers to limit the exposure to contaminants at a Property is allowed. Institutional controls include the use of restrictions to limit the use of the property, prohibit the installation or use of on-site wells, and facilitate the use of highway authority agreements, etc. Engineering barriers include the installation of such barriers as clean soil, concrete or asphalt caps over the impacted areas to prohibit exposure to the underlying contaminants.

In conclusion, TACO was developed by the Illinois EPA in order to address impact at industrial/commercial properties using a risk-based approach in lieu of one set of broad, conservative standards for establishing "clean" which in the past has created costly and unnecessary cleanups. The IEPA now recognizes site specific conditions for establishing cleanup objectives, as wells as the use of institutional controls and engineering barriers to minimize the risk associated with impacted properties.

With regard to the specific impact discovered at the site, there is a high likelihood that the calculation of a site specific cleanup objectives, in conjunction with the limited application of engineering barriers, may be able to demonstrate that the existing levels can be allowed to remain in-place as-is. Based upon review of the areas exceeding TACO cleanup objectives, ENMARC would like to provide the following evaluations and recommendations:

- Based upon the fact that the site is currently supplied with potable water from a municipal water supply source, and that the installation of an on-site well is not necessary, and may even be prohibited at the Village level, the groundwater ingestion route of exposure to the contaminant levels is limited, therefore the exposure route with regard to groundwater ingestion is basically eliminated; and
- 2. Collection of a sample for physical soils analysis, for purposes of calculating site specific Tier 2 cleanup objectives for the inhalation exposure route. There are four areas at which the inhalation exposure route standards under Tier 1 have been exceeded, based upon the current and continuing industrial use of the Property: S-1, B2, B4, and B6. Prior experience with similar contaminants and soils indicates that most of these locations would fall under a Tier 2 standard for inhalation, excepting for B4 where the levels of Tetrachloroethene are relatively high @ 220.8 ppm. This location also exceeds the standard established for the ingestion exposure route for Tetrachloroethene (@ 110 ppm) which cannot be changed by a Tier 2 evaluation. Therefore, the application of a concrete cap to act as a barrier to the impact would suffice. An approximate 10' x 10' concrete patio over the location of B4 would sufficiently eliminate the inhalation and ingestion exposures to the impact levels at this location.

Phase II Investigation(s) 5/18/2000 and 6/2/2000 The Morey Building 2659 Wisconsin Ave., Downers Grove, IL

In order to achieve the above, an additional investigation and collection of samples for both chemical and physical analysis would be necessary. The cost of the investigation (by ENMARC) would be approximately \$4,125.00. This would include the installation of up to 5 additional borings, the geotechnical and chemical analysis of these samples, TACO modeling to determine Tier 2 site specific objectives, and a final report. The additional sampling and analysis will take several weeks to complete due to the extensive laboratory work required. In conjunction with the use of site specific objectives, the 10' x 10' patio at the highest area of impact (B4) would act as an engineering barrier, which would in all likelihood eliminate the routes of exposure to the contamination in accordance with the protocol established under TACO.

If Tier 2 calculations do not resolve the inhalation impact areas (specifically that @ B6), we estimate that a 25' x 15' area would require capping with concrete to serve as an additional engineering barrier. The cost of the engineering barriers would thus be approximately \$ 5000. The total cost of addressing the impacted areas by means of risk management would subsequently be \$ 10,000.00.

LIMITATIONS

Conclusions and recommendations in the Phase II section of this report are based upon the data obtained from samples collected at the indicated locations and from any other information discussed in this report. Only a limited evaluation was performed and this report does not reflect any variations which may occur between sample locations. The nature and extent of such variations may not become evident until later. If variations appear evident, it will be necessary to re-evaluate the recommendations in this report.

The observations described in this report were made under the conditions state herein. The findings presented in the report were based solely upon the services described in 20-656.02 and not on tasks or procedures beyond the scope of the described and authorized services.

Certain site-specific information presented in this report was obtained from the parties herein referenced. ENMARC did not attempt to verify independently the accuracy or completeness of all information reviewed or received during the course of this subsurface site investigation.

The objective of this Phase II subsurface site investigation was to provide data for the evaluation of the site located at 2659 Wisconsin Ave., Downers Grove, Illinois. Further investigative site information which was not available to ENMARC at the time of this assessment may result in a modification of the findings stated above.

This report has been prepared in accordance with generally accepted site assessment practices. No other warranty, expressed or implied, is made.

Phase II Investigation(s) 5/18/2000 and 6/2/2000 The Morey Building 2659 Wisconsin Ave., Downers Grove, IL

LIST OF FIGURES AND ATTACHMENTS:

Figure 1:

Site Plan Map

Figure 2:

Boring Location Map

Attachment 1: Boring Log Records Attachment 2: Laboratory Analysis Reports


Phase II Investigation(s) 5/18/2000 and 6/2/2000 The Morey Building 2659 Wisconsin Ave., Downers Grove, IL

LIST OF FIGURES:

Figure 1:Site Plan Map

Figure 2:Boring Location Map - Inside; Near Potting Compound Mixing Area

Figure 3: Boring Location Map - Outside; Near Loading Dock Area






FIGURE 3: BORING LOCATION MAP -- NEAR LOADING DOCK AREA

6/2/2000	2659 W	Y BUILDING ISCONSIN AVE. GROVE, ILLINOIS
	SCALE 1": 10'	ENMARC

Phase II Investigation(s) 5/18/2000 and 6/2/2000 The Morey Building 2659 Wisconsin Ave., Downers Grove, IL

Attachment 1:

Boring Log Records

MOR 000600

ENMARC

_	ect No.: 20-656.02			Roring Number B1		Page	: 1	of 7	
Project	No.:	20-656	5.02		Boring Number: B1		Date:		/2/2000
Site No	me: M	OREY BUIL	DING		Boring Location: INSIDE BUILDING	3 -	Sta	rt _	6:20 AM
Addres		559 Wiscor owners Gr	nsin Ave. ove, Illinois		NEAR POTTING COMPOUND MIXING AREA	Fini	ish _	7:10 AM	
Sample Number	Sample Type	Sample Recovery	Depth (feet)		Detailed Soil And Rock Description	. ,		PID (ppm)	COMMENTS
				4" CONCRETE	E, 3-4" STONE BASE				NO OBVIOUS
			_ 1 - _ 2 - _ 2	BROWN/GREY GRAVEL	MOTTLED, SILTY CLAY, TR. S	SANC) &	0.2	EVIDENCE OF IMPACT
	1" DIAM, 2' LENGTH HAND PROBE		3 - 4 5 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14	END OF BOF	RING (EOB)				*Sample Submitted For Analysis
			<u> </u>						
			nes are ap		isition between soil types may be gradua	1.			
Gı	oundwate Haal		Orilling	Auger Depth			L_ V	1 N .	$A \wedge \Box \bigcirc$
▼	<u>0</u>	h While I DRY	ייוווווע	Rolary Depth	, , , , , , , , , , , , , , , , , , , ,				1ARC
∇		h Alter I DRY	Drilling	Driller <u>Envirodynamic</u> Note: Boring backfille	d w/cuttings unless otherwise noted.	- 2			ister Street t, Illinois
					MOR 000601				000601 _

Project	No.:	20-656	5.02		Boring Number:	82		Page Date:	Page: 2 of 7 Date: 6/2/2000		
Site No	ıme: M	IOREY BUILL	DING		Boring Location:	OUTSIDE OF BL @ NE CORNER	DG.	Sta		7:24 AM	
Address	s: 20	659 Wiscon	nsin Ave.				OF EA	Fini	ish _	7:50 AM	
ļ	[Jowners Gro	ove, Illinois	<u> </u>				T			
Sample Number	Sample Type	Sample Recovery	Depth (feet)		Detailed Soil A Rock Descripti				PID (ppm)	COMMENTS	
		70%	1	BAREGROUND CLAYEY BROV	VN/BLACK FIL	L			10.2	NO OBVIOUS EVIDENCE OF IMPACT	
	RE	/ U/0	— 2 - — 3 - — , -	BROWN/GREY TRACE SAND,	MOTTLED SIT	TLY CLAY, W/GR FF @ GREATER	AVEL DEP1	ΓHS;	10.4		
	MACRO-CORE		- 4 - - 5 - - 5 -					!	11.2	τ	
	LENGTH MA	100%	- 6 - - 7 -						11.8		
	.4		8 - - 9 -						12.0		
	1.5" DIAM,	100%	10 -	LIMESTONE F CLAYEY SANG	RAGMENT D AND GRAVE	<u>L</u> :			10.8		
			— 12 - — 13 -	STIFF MOSTL	Y GREY SILTY	′CLAY, TR. GRA	VEL		ND*	*Sample Submitted	
		100%	— 14 - — 15 -	END OF BOR	RING (EOB) @	16'			ND	For Analysis	
			s are app	roximate; in-situ transi			, T				
Gro	oundwate			Auger Depth	_	: GEOPROBE		– .	,	A — —	
▼	uepth D	While Dr		Rotary Depth			E	-	1 M	ARC	
∇	,	n After Di DRY	, L	Oriller <u>Envirodynamics</u> Note: Boring backfilled			2:			ster Street , Illinois	
				-	-				MOR	000602 -	

							Page	: 3	of 7
Project	No.:	20-656	5.02		Boring Number:	В3	Date:		/2/2000
Site No	ime. M	DREY BUIL	DING		Boring Location: OU	TSIDE OF BLDG 20' SOUTH OF	† Sta	ırt _	7:54 AM
Address		59 Wiscor			~ FY(20' SOUTH OF CAVATION AREA	Fin	ish _	8:12 AM_
Naures			ove, Illinois						
Sample Number	Sample Type	Sample Recovery	Depth (feet)		Detailed Soil And Rock Description		·	PIO (ppm)	COMMENTS
				BAREGROUND	1				NO OBVIOUS
			- 1 -	4" BLACK TO	OPSOIL .			*	EVIDENCE OF IMPACT
	i I	50%	_ 2 -	CLAYEY BROV	WN/BLACK FILL			2.2	,
		<u>.</u>	— - — 3 -		,				- SAMPLE COLLECTED @
	RE		- 4	DDOMN (CDC)	V MOTTLED SITLY	CLAY			3.5-4', NEAR FILL/NATIVE SOIL INTERFACE
ł	MACRO-CORE		-	SOME GRAVE	Y MOTTLED SITLY L, TRACE SAND	CLAT,		1.6	SOIL HATERI ACL
	RO-		<u> </u>					1.6	
	MAC	100%	- 6 -	_					
	표		<u>├</u> 7 -					0.8	
	LENGTH		h .						<u> </u>
	·4		8 -	\exists					
İ	Į.		9 -	MORE GREY	IN COLOR, MOR	E DENSE ¬		1.0	
	DIAM,	100%	 10 -	_		et get			ş'
1	.0.		<u> </u> 11 -					0.8	
	-		<u> </u>	-					
			12	END OF BO	RING (EOB)				
			_ 13	· ·	,			ND*	Submitted
			14						For Analysis
			<u> </u>	<u> </u>					
Note	· Stratifi		1		isition between soil type	s may be gradual.		1	<u> </u>
	roundwate		.55 5.5 55	Auger Depth		GEOPROBE			
▼	, Dept	h While I DRY	Drilling	Rotary Depth			EN	11	1ARC
		h After	Drilling	Driller <u>Envirodynamic</u>	<u>cs</u> Geologist <u> </u>	J. Virgilio			ister Street
\bot		ORY		Note: Boring backfille	d w/cuttings unless oth	nerwise noted.	Le	emoni	t, Illinois
					MOR 000603				000603 -

		00.05/	2.00	Darina Musekan	B4	Page:	4	of 7
Project	No.:	20-656	0.02	Boring Number:	D 1	Date:	6/	2/2000
Site No Addres	s: 26	OREY BUIL 59 Wiscor owners Gr		Boring Location: OUTSID @ EDGE OF DRIVEY GRADIENT FROM DE	DE OF BLDG. WAY, DOWN- RAIN PIPE	Stort Finish		8:25 AM 8:50 AM
Sample Number	Sample Type	Sample Recovery	Depth (feet)	Detailed Soil And Rock Description				
		80%	BAREGROUN 1 10" BLACK BROWN/BL		FILL	15	5.2	EVIDENCE OF STAINING NEAR SURFACE
	3E	00%	BLACK SILT	TY CLAY, HIGH ORGANI DENCE OF ROOTS		3:	2.0	SAMPLE COLLECTED @ 2'. NEAR FILL/NATIVE
	MACRO-CORE		SOME GRAV	EY MOTTLED SITLY CLA VEL, TRACE SAND	ΑΥ,	. 2	2.2	SOIL INTERFACE (EXTRACT ONLY)
	LENGTH MA	100%	7 —	Y SILTY CLAY, TR. SAI	ND & GRAVE	1	* 5.8	
	DIAM, 4' L		B GREY/BRO MOIST -	WN SANDY CLAY W/SI WET	LT; TR. GRAV	i	1.2	
	1.5" 0	80%	10 —				0.2	
			1,2	TY CLAY, TR. SAND & ORING (EOB)	GRAVEL 10R 000604			*Sample Submitted For Analysis
Note	: Stratific	ation lin	es are approximate; in—situ tr	ansition between soil types may	y be gradual.			
	oundwale Depth 8 Depth	r Data While D	Auger Depth Prilling Rotary Depth WET Drilling Driller Envirodynam	Drill Type: GEOPR	OBE [rgilio 2		Cus	ARC ster Street Illinois

-

Project	No.:	20-656	5.02		Boring Number:	B5	Page Date:		of 7 /2/2000
Site No		DREY BUILL			Boring Location: OL		G. Sto	ort _	8:56 AM 9:20 AM
Addres		59 Wiscon owners Gro	isin Ave. ove, Illinois		~10' EAST OF	EXC. AREA	FII	ish _	
Sample Number	Sample Type	Sample Recovery	Depth (feet)		Detailed Soil And Rock Description			PID (ppm)	COMMENTS
		90%	1 1 2		AYEY TOPSOIL CK CLAY FILL			12.4	NO MAJOR EVIDENCE OF STAINING OR ODORS
	ORE		3 —	BROWN/GREY SOME GRAVEI	/ MOTTLED SILTY L, TRACE SAND	CLAY,		18.8	- SAMPLE
	MACRO-CORE	100%	_ 5 _ _ 5 _ _ 6 _	·				12.0	COLLECTED 4'
	LENGTH		7 —	CDEV SILTY	CLAY, TR. SAND	8. CPAVEL		0.8	·
	DIAM, 4'	100%	9 —	STIFF, DENS				0.6	
	1.5" [11 -	REFUSAL, RO	OCK IN SHOE			NS	
			13 —			MOR 000605	5		*Sample Submitted For Analysis
Note	Stratific	ation line	es are appro	 ximate: in-situ trans	sition between soil type	es may be aradual.			
-	oundwate Depth Depth		Orilling Ro Orilling Dr	iger Depth stary Depth illerEnvirodynamics	Drill Type: (S_ Geologist	GEOPROBE J. Virgilio	229 1	E. Cu	ARC ster Street
		· · · · · · ·	·	ote, boring backfilled	d w/cuttings unless oth	iciwise noted.	<u> </u>		

Project	No -	20-656	6.02		Boring Number:	B6	Page:		of 7
110,000	. 110	20 00.					Date:	•	/2/2000
Site N	ame: M	OREY BUIL	DING		Boring Location: OUTSI	IDE OF BLDG.	Sta	rt _	9:40AM
Addres		559 Wiscor			NORTH OF DRIVEW	VAY; JUST	Fini	sh _	10:00AM
1.44.03			ove, Illinois		NORTH OF GAS LI	INE			
يق		very						1	·
L L	уре	seco.	(set		Detailed Soil And			=	
e e]e]) alc) L		Rock Description	r		dd)	
Sample Number	Sample Type	Sample Recovery	Depth (feet)		•			PID (ppm)	
							:		COMMENTS
				GRASS, 4" TO	OPSOIL, 2" CLAY FI	LL			NO MAJOR EVIDENCE OF
			<u> </u>		LED GREY SILTY CL	_AY;		11.8	STAINING OR
		95%	_ 2 _	TR. SAND, SO	OME GRAVEL				ODORS
		33/						*	
İ			- 3 -					18.8	
	낊								SAMPLE.
1	00			1				*	→COLLECTED @ 4
1	02		- 5 -	-			-	22.0	
	MACRO-CORE	100%	<u> </u>						
	1					•			
1	GT		<u></u> 7 −	STIFF, GREY	SILTY CLAY, TR. SA	AND & GRAVE	L	1.0	
1	LENGTH		8 -]					
	-4		<u> </u>	-					
	Σ	100%	9 -	_				0.8	
	DIAM,		10 -	4		÷			
	5.		<u> </u>	-				0.0	-
	-					•		8.0	,
1			12 -						
			17	END OF BOF	RING (EOB)		•		*Correla
			13 -] '					*Sample Submitted
1			14	- · · · · · ·					For Analysis
1				-		MOR 000606			
11 1	Charte	l l	15 -		Non holiman and house	nay ho acadual		1	
					sition between soil types m				
U U	oundwale Doott			uger Depth	Drill Type: GEOP		_ ^	t N A	Λ E C
▼	Deptr C	ı While [DRY	nining Ki	otary Depth	_		ヒハ	$1 \mathcal{N} $	ARC
1_	Dent	n After D)rillina Di	riller <u>Envirodynamics</u>	sGeologistJ	Virgilio :	229 E	. Cus	ster Street
		RY			d w/cultings unless otherwi				, Illinois
					Jay outlings unloss otherm	1000			

Proinch	No ·	20-656	 5.02		Boring Number: B7		age: 7	
Project	NU	ZU-03(U.UL 		ourng number.	Dat		5/2/2000
Site No		OREY BUIL	DING		Boring Location: OUTSIDE OF BLE	^{70.}	Stort _	10:05 AM
Addres		559 Wiscor owners Gr	nsin Ave. ove, Illinois		APPROX. 10' EAST OF BORING B4		Finish _	10:15 AM
Sample Number	Sample Type	Sample Recovery	Depth (feet)		Detailed Soil And Rock Description	•	(mdd) (
Š	Sar	Sar	Det			;	PlO	COMMENTS
		.i	1	GRASS, BLACI	K CLAYEY TOPSOIL		2.2	NO MAJOR EVIDENCE OF STAINING OR ODORS
		70%	2 -	6" BROWN CI	LAYEY FILL		*	
	RE		3 -		Y SILTY CLAY, TR. SAND, SOME	Ε	3.8	SAMPLE
	MACRO-CORE		5 -	 -			1.0	COLLECTED @ 4
	LENGTH MA(100%	7 -	STIFF, GREY	SILTY CLAY, TR. SAND & GRA		0.8	
	_4		8 - - 9 -	END OF BOR	RING (EOB)			
	.5" DIAM,		— 10 — — 11 —	- - -				
			12					
			13 -	- ;				*Sample Submitted
			14 -		MOR 0006	07		For Analysis
Note	Chrolit-	ation 1:-	- 15 -	Oximate: in aitu t	ilion hatween coil tunes may be account			<u></u>
	Stratific Sundwater			oximate; in—situ transi luger Depth	Drill Type: GEOPROBE			
	Depth	While D		Rotary Depth	_ ''	FI	NM	IARC
∇	Depth	After D		riller <u>Envirodynamics</u> Note: Boring backfilled	S Geologist <u>J. Virgilio</u> w/cuttings unless otherwise noted.	229	E. Cu:	ster Street , Illinois

Phase II Investigation(s) 5/18/2000 and 6/2/2000 The Morey Building 2659 Wisconsin Ave., Downers Grove, IL

Attachment 2:

Laboratory Analysis Reports

MOR 000608

ENMARC

MOREY BUILDING, DOWNERS GROVE, IL ANALYSIS SUMMARY TABLE – CONSTITUENTS EXCEEDING IEPA STANDARDS Page 1 of 1

				S/	AMPLEI.D.#	ŧ.						IEPA TACO	TIER I STA	ANDARDS,	РРМ		
PARAMETERS				Re	esults in ppi	m				RESID	ENTIAL	INDUSTRIAL /COMMERCIAL(2)				RESIDENTIAL & INDUSTRIAL-COMMERCIAL	
	S-1	B1	B-2	B-2	B-3	B-4	B-5	B-6		B-7 Ingestion @ 4'	estion Inhalation	Industrial/Commercial		Constructi	on Worker	Path t	o GW
	@ 4'	(Inside) 1-3'	@ 8-10'	@ 12-14'	@ 4'	@ 6-8'	@ 4'	@ 4'	@ 4'			Ingestion	Inhalation	Ingestion	Inhalation	Class I	Class II
VOC's & SVOC (Volatileand S Compounds— only those consi detection presented):													·	-	T		
Acetone	ND	0.281 B	0.241 B	0.292 B	0.159 B	0.652	0.225 B	0.236	0.272	7800	100,000	200,000	100,000	200,000	100,000	16	16
Benzene	ND	ND	0.00473	ND	0.007	ND	0.00602	0.00835	0.007	22	0.8	200	1,5	4300	2.1	0.03	0.17
2-Butanone	ND	ND	ND	ND	ND	ND	ND	0.0472	ND		-						
1,3- Dichlorobenzene ⁽³⁾	2.72	ND	ND	ND	ND	ND	ND	ND	ND	70	570	1800	570	180	570	0.2	1.0
1,4 - Dichlorobenzene	2.67	ND	ND	ND	ND	, ND	ND	ND	ND	-		_	17,000		240	2	11
cis-1,2-Dicloroethene	3.11	ND	8.74	0.00634	ND	0.023	0.0646	0.0388	ND	780	1200	20,000	1200	20,000	1200	0.4	1.1
trans-1,2-Dicloroethene	ND	ND	0.118	ND	ND	ND	0.00470	ND	ND	1600	3100	41,000	3100	41,000	3100	0.7	3.4
(bis)(2-Ethyl Hexyl)Phthalate	ND	0.194	NT	NT	NT	NT	ND	ND	ND	••		_					••
Methylene chloride	ND	ND	0.00627 B	0.00723 B	0.009 B	0.006 B	ND	0.0124	ND	85	13	760	24	12,000	34	0.02	.2
Tetrachloroethene	14.9	ND	66.7	0.0218	ND	220,8	4.03	97.7	0.147	12	11	110	20	2400	28	0.06	0.3
Toluene	ND	ND	0.00725	ND	0.013	0.018	0.00922	0.0150	0.010	16000	650	410,000	650	410,000	42	12	29
Trichloroethene	0.618	ND	5.96	ND	ND	0.496	0.250	0.129	ND	58	5	520	8.9	1200	12	0.06	0.3
Vinyl Chloride	0.116	ND	ND	ND	ND	ND	ND	ND	ND	0.3	0.03	3 -	0.06	65	0.08	0.01	0.07

TACO -- Tiered Approach to Cleanup Objectives -- 35 IAC Part 742.


Notes: Those levels exceeding Tier 1 standards are shaded.

⁽²⁾ Application of Commercial/Industrial Standards requires the use of an institutional control limited the use of the Property to Commercial/Industrial.

No objective established under TACO. Objective established by IEPA Office of Chemical Safety.

B => Acetone found in lab blank @ 0.0207ppm; => Methylene Chloride found in lab blank @ 0.0162mg/kg.

NT => Not Tested due to lack of SVOC's at source discovered from initial sampling efforts (@ S-1).



LABORATORY DATA REPORT

CLIENT

Enmarc

229 E. Custer Street Lemont, Illinois 60439

PROJECT NAME

: MOREY BLDG, DOWNERS GROVE, IL

NUMBER#

: 20.565 : N/A

TASK ORDER

: J. Virgilio

ATTN RECEIVED

: 06/02/00

REPORTED

: 06/14/00

FILE ID#

: 00005360 THRU 00005368

PROJECT SUMMARY:

Analyses were performed in accordance with the methods found in the USEPA publication: <u>Test Methods for Evaluating Solid Waste, Physical/Chemical methods, SW-846, 3rd Edition, December 1996.</u> Specific method references are listed on the analytical report.

Results have been expressed on a "wet" weight (as received) basis except where otherwise specified .

All analyses were performed within established holding times, and all Quality Control criteria as outlined in the methods have been met.

LABORATORY DIRECTOR Ormunder & holy





IN#60819

LABORATORIES, INC.

DBA: AMERICAN-ATHENA LABORATORIES

LABORATORY TESTING OF SOIL WATER AND HAZARDOUS WASTE

8609 W. Bryn Mawr, Suite 201, Chicago, IL 60631-3524 Tel.: 773-693-8030 Fax: 773-693-8783 888-AEA-TEST Web: http://www.aeatest.com

CHAIN OF CUSTODY

Client: ENMARC	Project Name: MORKY BLDG., Downers Good, I							
Address: 229 E. Custu St.	Sampler Name: J. Vingilio							
Lemont, IL 60439	Project #: 70-656							
Report to: J. Vivgilio	Time Period: 5 Day 4 Day 3 Day 2 Day 1 Day <24Hr.							
Phone #: 630/257-9357 Fax #: 630/257-1650	Date Needed: 6-9-00							

				<u> </u>		<u> </u>		_		
Report to: J. Vivgilio				Time Period:	: 5 Day	4 Day	3 Day	2 Day	1 Day	<24Hr.
Phone #: 630/257-9357 Fax	#: <i>L</i>	30/25	7-1650	Date Neede	d: 6-	9-00				
Field ID; Location	Matrix	<u>Date</u> Time	Type # Cont. Co	nt.	Parameters	•			AEA IC	
1 B1 C1-3' E	50:/	6-2-00 Aug	VOAS - 3	Vocs	, 500	cs (-	elso se	DO O	053	60
2 BZ @ 8-10' E			29.665- VO13-3	Vocs	· .	<u> </u>	SDS	o c o	053	61
3 B2 C 12-14' E		+	5	Extra	et of the	۵		000	0053	62
4 B3 € 4' €				Vocs				00	005	363
5 B4 COMM' 2-4' E		-		Extra	t; Hold	٠.		0 (005	364
6 B4 C 6-8' E		\pm		Vocs				000	053	65
7 B5 C 4' E				VOC:	-			000	0053	66
8 B6 C 4' E				VOC	ś			000	053	67
9 B7C 4' E	1	 		VOC	<u>ś</u>			0.0	0053	68
10 () () () () () () () () () (/ 1/4
11					VOA B				1.12	: 4.77
12				W ₁	lan "E	" ind	licates			
13				w	preservi	afre	-			·
14		<u>i</u>								
15 ·									:	
Sample Preserved : EN Condition of Samp	ole(s): ((Good) Viola	· MANITUA	=Soil(S), Air(A), Wat	ter(W), Drinking !	Water(DW), V	Vipe(P), Othe	er(O).		t, R=Reject
Preservative Type: Temp. of Containe	r°C:	< 4°C	CONTAIN	NER=40ml Vial(A), 601 RVATIVE=HCI, HNO:	ml Vial(B), 2oz(C),	40z(D), 80z(E), 1Liter(F), G	lass(G), Pla	stic(P), Air Tube Not Applicable	:(T), Wipe(W
5035 VOAS ->(1)40H+(2)1	Va 450	<u> </u>				- K	<u> </u>			
Relinquished by:	·نر <u>.</u>		e/Time: 6	2-00/11 AM	Accepte	ed by:	Maris	·	12.10	
Relinquished by:		Date	e/Time: /	- 14.	Accepte	d by	Y at	D_{\sim}	1348	,

Relinquished by:

Relinquished by:

Date/Time: 6-2-00/11 Am Accepted by:

NOR 000611

WHITE - OFFICE COPY

YELLOW - LAR COPY

PINK - CLISTOMER COPY

Page

<u>.</u>•

of



Enmarc 229 E. Custer Street Lemont, Illinois 60439 Fax No.: (630) 257-1650

Attn: J. Virgilio

First Lab Number: 005360 Sample Matrix: SOIL

Project Name: Morey Bldg, Downers Grove, IL

Project No.: 20.565

Sampled: 06/02/00 Received: 06/02/00 Date Reported: 06/14/00

ANALYTICAL REPORT

Field ID Lab Number Description			B1 AF05360 1-3'			
Method	Analyte	Reporting Limit (dry wt.)	Result (dry wt.)	Unit	Analysis Date	Analyst
SW-846 3550B	SONICATION PREP-BNA	_	6/05/00	-	06/05/00	EQ
SW-846 8270C	Semi-Volatiles by 8270	-	•	mg/kg	06/05/00	EN
	1,2,4-Trichlorobenzene	0.0784	< Stated MDL	33	06/05/00	EN
	1,2-Dichlorobenzene	0.0784	< Stated MDL		06/05/00	EN
	1,3-Dichlorobenzene	0.0784	< Stated MDL		06/05/00	EN
	1,4-Dichlorobenzene	0.0784	< Stated MDL		06/05/00	EN
	2,4,5-Tichlorophenol	0.117	< Stated MDL		06/05/00	EN
	2,4,6-Trichlorophenol	0.117	< Stated MDL		06/05/00	EN
	2,4-Dichlorophenol	0.117	< Stated MDL		06/05/00	EN
	2,4-Dimethylphenol	0.0784	< Stated MDL		06/05/00	EN
	2,4-Dinitrophenol	0.0784	< Stated MDL		06/05/00	EN
	2,4-Dinitrotoluene	0.0784	< Stated MDL		06/05/00	EN
•	2,6-Dinitrotoluene	0.0784	< Stated MDL		06/05/00	EN
	2-Chloronaphthalene	0.0784	< Stated MDL		06/05/00	EN
	2-Chlorophenol	0.117	< Stated MDL		06/05/00	EN
	2-Methylnaphthalene	0.0784	< Stated MDL		06/05/00	EN
	2-methylphenol	0.0784	< Stated MDL		06/05/00	EN
	2-Nitroaniline	0.0784	< Stated MDL		06/05/00	EN
	2-Nitrophenol	0.0971	< Stated MDL		06/05/00	EN
	3,3-Dichlorobenzidine	0.0784	< Stated MDL		06/05/00	EN
	3-Nitroaniline	0.0784	< Stated MDL		06/05/00	EN
	4,6-Dinitro-2-methylphenol	0.0784	< Stated MDL		06/05/00	EN
en de la companya de la companya de la companya de la companya de la companya de la companya de la companya de La companya de la co	4-Bromophenyl-phenylether	0.0784	< Stated MDL		06/05/00	EN
	4-Chloro-3-methylphenol	0.0784	< Stated MDL		06/05/00	EN
	4-Chloroaniline	0.0784	< Stated MDL		06/05/00	EN
	4-Chlorophenyl-phenylether	0.0784	< Stated MDL		06/05/00	EN
	4-Methylphenol	0.0784	< Stated MDL		06/05/00	EN
	4-Nitroaniline	0.0784	< Stated MDL		06/05/00	EN
	4-Nitrophenol	0.0784	< Stated MDL		06/05/00	EN
	Acenaphthene	0.0784	< Stated MDL		06/05/00	EN
	Acenaphthylene	0.0784	< Stated MDL		06/05/00	EN
	Anthracene	0.0784	< Stated MDL		06/05/00	EN
•	Benzo[a]anthracene	0.0784	< Stated MDL		06/05/00	EN
	Benzo[a]pyrene	0.0784	< Stated MDL		06/05/00	EN
	Benzo[b]fluoranthene	0.0784	< Stated MDL		06/05/00	EN
	Benzo[g,h,i]perylene	0.0784	< Stated MDL		06/05/00	EN
	Benzo[k]fluoranthene	0.0784	< Stated MDL		06/05/00	EN
	Benzyl alcohol	0.0784	< Stated MDL		06/05/00	EN





Enmarc 229 E. Custer Street

Lemont, Illinois 60439 Fax No.: (630) 257-1650

Attn: J. Virgilio

First Lab Number: 005360

Sample Matrix: SOIL

Project Name: Morey Bldg, Downers Grove, IL

Project No.: 20.565

Sampled: 06/02/00 Received: 06/02/00

Date Reported: 06/14/00

ANALYTICAL REPORT

Field ID			B1			
Lab Number Description			AF05360 1-3'		· ·	
Method	Analyte	Reporting Limit (dry wt.)	Result (dry wt.)	Unit	Analysis Date	Analyst
	bis (2-Chloroethoxy) methane	0.0784	< Stated MDL		06/05/00	EN
	bis (2-Chloroethyl) ether	0.0784	< Stated MDL		06/05/00	EN
	bis (2-Chloroisopropyl) ether	0.0784	< Stated MDL		06/05/00	EN
	bis(2-Ethylhexyl)phthalate	0.0784	0.194		06/05/00	EN
	Butylbenzylphthalate	0.0784	< Stated MDL		06/05/00	EN
, p	Chrysene	0.0784	< Stated MDL		06/05/00	EN
,	Dibenz[a,h]anthracene	0.0784	< Stated MDL		06/05/00	EN
	Dibenzofuran	0.0784	< Stated MDL		06/05/00	EN
	Diethylphthalate	0.0784	< Stated MDL		06/05/00	EN
	Dimethylphthalate	0.0784	< Stated MDL		06/05/00	EN
	Di-n-butylphthalate	0.117	< Stated MDL		06/05/00	EN
	Di-n-octylphthalate	0.0784	< Stated MDL		06/05/00	EN
	Fluoranthene	0.0784	< Stated MDL		06/05/00	EN
	Fluorene	0.0784	< Stated MDL		06/05/00	EN
	Hexachlorethane	0.0784	< Stated MDL		06/05/00	EN
	Hexachlorobenzene	0.0971	< Stated MDL		06/05/00	EN
•	Hexachlorobutadiene	0.0784	< Stated MDL		06/05/00	EN
•	Hexachlorocyclopentadienes	0.0784	< Stated MDL		06/05/00	EN
	Indeno[1,2,3-cd]pyrene	0.0784	< Stated MDL		06/05/00	EN
•	Isophorone	0.0784	< Stated MDL		06/05/00	EN
	Naphthalene	0.0784	< Stated MDL		06/05/00	EN
9. ja	Nitrobenzene	0.0784	< Stated MDL		06/05/00	EN
	n-Nitroso-di-n-propylamine	0.0784	< Stated MDL		06/05/00	EN
e Letyneda e	n-Nitrsodiphenylamine	0.0784	< Stated MDL		06/05/00	EN
a filme en s	Pentachlorophenol	0.0971	< Stated MDL		06/05/00	EN
	Phenanthrene	0.0784	< Stated MDL		06/05/00	EN
	Phenol	0.0784	< Stated MDL		06/05/00	EN
	Pyrene .	0.0784	< Stated MDL		06/05/00	EN
CM 046 EDGE	Valadia Dana bu 5005					
SW-846 5035	Volatile Prep by 5035	-	06/02/00		06/02/00	JCZ
SW-846 8260B	Volatiles by 8260B	-	-	mg/kg	06/13/00	AS
	1,1,1,2-Tetrachloroethane	0.0064	< Stated Limit		06/13/00	AS
	1,1,1-Trichloroethane	0.0064	< Stated Limit		06/13/00	AS
	1,1,2,2-Tetrachloroethane	0.0064	< Stated Limit		06/13/00	AS
•	1,1,2-Trichloroethane	0.0064	< Stated Limit		06/13/00	AS
	1,1-Dichloro-1-propene	0.0064	< Stated Limit		06/13/00	AS
	1,1-Dichloroethane	0.0064	< Stated Limit		06/13/00	AS
	1,1-Dichloroethene	0.0064	< Stated Limit		06/13/00	AS
	1,2,3-Trichlorobenzene	0.0064	< Stated Limit		06/13/00	AS
	1,2,3-Trichloropropane	0.0064	< Stated Limit		06/13/00	AS





Enmarc 229 E. Custer Street Lemont, Illinois 60439 Fax No.: (630) 257-1650

Naphthalene

Attn: J. Virgilio

First Lab Number: 005360 Sample Matrix: SOIL

Project Name: Morey Bldg, Downers Grove, IL

Project No.: 20.565

Sampled: 06/02/00 Received: 06/02/00

Date Reported: 06/14/00

ANALYTICAL REPORT

Field ID			B1			
Lab Number			AF05360			
Description			1-3'	•		
Method	Analyte	Reporting	Result (dry wt.)	Unit	Analysis Date	Analyst
		Limit (dry wt.)			•	,
.*.	1,2,4-Trichlorobenzene	0.0064	< Stated Limit		06/13/00	AS
	1,2,4-Trimethylbenzene	0.0064	< Stated Limit		06/13/00	AS
	1,2-Dibromo-3-chloropropane	0.0064	< Stated Limit		06/13/00	AS
	1,2-Dibromoethane	0.0064	< Stated Limit		06/13/00	AS
	1,2-Dichlorobenzene	0.0064	< Stated Limit		06/13/00	AS
	1,2-Dichloroethane	0.0064	< Stated Limit		06/13/00	AS
. *	1,2-Dichloropropane	0.0064	< Stated Limit		06/13/00	AS
	1,3,5-Trimethylbenzene	0.0064	< Stated Limit		06/13/00	ÆS
	1,3-Dichlorobenzene	0.0064	< Stated Limit		06/13/00	AS
	1,3-Dichloropropane	0.0064	< Stated Limit		06/13/00	AS
•	1,4-Dichlorobenzene	0.0064	< Stated Limit		06/13/00	AS
	2,2-Dichloropropane	0.0064	< Stated Limit		06/13/00	AS
	2-Butanone (MEK)	0.0128	< Stated Limit		06/13/00	AS
•	2-Chlorotoluene	0.0064	< Stated Limit		06/13/00	AS
	2-Hexanone	0.0128	< Stated Limit		06/13/00	AS
	4-Chlorotoluene	0.0064	< Stated Limit		06/13/00	AS
	4-Methyl-2-Pentanone (MIBK)	0.0128	< Stated Limit		06/13/00	AS
	Acetone	0.0128	0.281 B		06/13/00	AS
	Benzene	0.0064	< Stated Limit		06/13/00	AS
	Bromobenzene	0.0064	< Stated Limit		06/13/00	AS
· · · · · · · · · · · · · · · · · · ·	Bromochloromethane	0.0064	< Stated Limit		06/13/00	AS
gen age of the	Bromodichloromethane	0.0064	< Stated Limit		06/13/00	AS
	Bromoform	0.0064	< Stated Limit		06/13/00	AS
:	Bromomethane : , , , , , , , , , , , , , , , , , ,	0.0064	< Stated Limit		06/13/00	AS
•	Carbon disulfide	0.0128	< Stated Limit		06/13/00	AS
	Carbon tetrachloride	0.0064	< Stated Limit		06/13/00	AS
	Chlorobenzene	0.0064	< Stated Limit		06/13/00	AS
	Chlorodibromomethane	0.0064	< Stated Limit		06/13/00	AS
	Chloroethane	0.0064	< Stated Limit		06/13/00	AS
	Chloroform	0.0064	< Stated Limit		06/13/00	AS
•	Chloromethane	0.0064	< Stated Limit		06/13/00	AS
	cis-1,2-Dichloroethene	0.0064	< Stated Limit		06/13/00	AS
	cis-1,3-Dichloropropene	0.0064	< Stated Limit		06/13/00	AS
	Dibromomethane	0.0064	< Stated Limit		06/13/00	AS
•	Dichlorodifluoromethane	0.0064	< Stated Limit		06/13/00	AS
	Ethylbenzene	0.0064	< Stated Limit		06/13/00	AS
	Hexachlorobutadiene	0.0064	< Stated Limit		06/13/00	AS
	Isopropylbenzene (Cumene)	0.0064	< Stated Limit		06/13/00	AS
	m,p,-Xylenes	0.0128	< Stated Limit		06/13/00	AS
	Methylene chloride	0.0064	< Stated Limit		06/13/00	AS



AS

< Stated Limit

06/13/00

0.0064



Enmarc 229 E. Custer Street Lemont, Illinois 60439

Fax No.: (630) 257-1650

Attn: J. Virgilio

First Lab Number: 005360

Sample Matrix: SOIL
Project Name: Morey Bldg, Downers Grove, IL

Project No.: 20.565

Sampled: 06/02/00 Received: 06/02/00

Date Reported: 06/14/00

ANALYTICAL REPORT.

Field ID Lab Number Description	· · · · · · · · · · · · · · · · · · ·		B1 AF05360 1-3'	:		
Method	Analyte	Reporting Limit (dry wt.)	Result (dry wt.)	Unit	Analysis Date	Analyst
	n-Butylbenzene	0.0064	< Stated Limit		06/13/00	AS
	o-Xylene	0.0064	< Stated Limit		06/13/00	AS
	p-Isopropyltoluene (Cymene)	0.0064	< Stated Limit		06/13/00	AS
	Propylbenzene	0.0064	< Stated Limit		06/13/00	AS
	sec-Butylbenzene	0.0064	< Stated Limit		06/13/00	AS
	Styrene	0.0064	< Stated Limit		06/13/00	AS
	tert-Butylbenzene	0.0064	< Stated Limit		06/13/00	AS
	Tetrachloroethene	0.0064	< Stated Limit		06/13/00	ÆS.
	Toluene	0.0064	< Stated Limit		06/13/00	AS
	trans-1,2-Dichloroethene	0.0064	< Stated Limit		06/13/00	AS
•	trans-1,3-Dichloropropene	0.0064	< Stated Limit		06/13/00	AS
	Trichloroethene	0.0064	< Stated Limit		06/13/00	AS
	Trichlorofluoromethane	0.0064	< Stated Limit		06/13/00	AS
	Vinyl chloride	0.0064	< Stated Limit		06/13/00	AS
SM 2540 B.	% Moisture	0.1	14.8	%	06/06/00	JM

B=Acetone was found in the method blank at 0.0207 mg/kg. Analytes reported on dry weight basis except for Moisture. AEA Laboratories, Inc.

Comunta P.

Arminta P. Priddy
Laboratory Director



Enmarc 229 E. Custer Street Lemont, Illinois 60439

Fax No.: (630) 257-1650

Attn: J. Virgilio

First Lab Number: 005360 Sample Matrix: SOIL

Project Name: Morey Bldg, Downers Grove, IL

Project No.: 20.565

Sampled: 06/02/00 Received: 06/02/00

Date Reported: 06/14/00

ANALYTICAL REPORT

Field ID Lab Number Description	$\mathbf{v}_{\mathbf{v}} = \mathbf{v}_{\mathbf{v}} \cdot $	and a second second second	B2 AF05361 8-01'	:		
Method	Analyte	Reporting Limit (dry wt.)	Result (dry wt.)	Unit	Analysis Date	Analyst
SW-846 5035	Volatile Prep by 5035	-	06/02/00	-	06/02/00	JCZ
SW-846 8260B	Volatiles by 8260B	-	•	mg/kg	06/13/00	AS
•	1,1,1,2-Tetrachloroethane	0.0041	< Stated Limit		06/13/00	AS
	1,1,1-Trichloroethane	0.0041	< Stated Limit		06/13/00	AS
	1,1,2,2-Tetrachloroethane	0.0041	< Stated Limit		06/13/00	AS
•	1,1,2-Trichloroethane	0.0041	< Stated Limit		06/13/00	ÀS
	1,1-Dichloro-1-propene	0.0041	< Stated Limit		06/13/00	AS
	1,1-Dichloroethane	0.0041	< Stated Limit		06/13/00	AS
San All San San San San San San San San San San	1,1-Dichloroethene	0.0041	< Stated Limit		06/13/00	AS
	1,2,3-Trichlorobenzene	0.0041	< Stated Limit		06/13/00	AS
,	1,2,3-Trichloropropane	0.0041	< Stated Limit		06/13/00	AS
	1,2,4-Trichlorobenzene	0.0041	< Stated Limit		06/13/00	AS
	1,2,4-Trimethylbenzene	0.0041	< Stated Limit		06/13/00	AS
•	1,2-Dibromo-3-chloropropane	0.0041	< Stated Limit		06/13/00	AS ·
	1,2-Dibromoethane	0.0041	< Stated Limit		06/13/00	AS
	1,2-Dichlorobenzene	0.0041	< Stated Limit		06/13/00	AS
	1,2-Dichloroethane	0.0041	< Stated Limit		06/13/00	AS
	1,2-Dichloropropane	0.0041	< Stated Limit		06/13/00	AS
· 14	1,3,5-Trimethylbenzene	0.0041	< Stated Limit		06/13/00	AS
the graph of the state of the s	1,3-Dichlorobenzene	0.0041 g (1.56g)	< Stated Limit		06/13/00	AS
•	1,3-Dichloropropane	0.0041	< Stated Limit		06/13/00	AS
	1,4-Dichlorobenzene	0.0041 .	< Stated Limit		06/13/00	AS
	2,2-Dichloropropane	0.0041	< Stated Limit		06/13/00	AS
	2-Butanone (MEK)	0.0082	< Stated Limit		06/13/00	AS
	2-Chlorotoluene	0.0041	< Stated Limit		06/13/00	AS
	2-Hexanone	0.0082	< Stated Limit		06/13/00	AS
	4-Chlorotoluene	0.0041	< Stated Limit		06/13/00	AS
	4-Methyl-2-Pentanone (MIBK)	0.0082	< Stated Limit		06/13/00	AS
	Acetone	0.0082	0.241 B		06/13/00	AS
	Benzene	0.0041	0.00473		06/13/00	AS
	Bromobenzene	0.0041	< Stated Limit		06/13/00	AS
	Bromochloromethane	0.0041	< Stated Limit		06/13/00	AS
	Bromodichloromethane	0.0041	< Stated Limit		06/13/00	AS
	Bromoform	0.0041	< Stated Limit		06/13/00	AS
	Bromomethane	0.0041	< Stated Limit		06/13/00	AS
	Carbon disulfide	0.0082	< Stated Limit		06/13/00	AS
•	Carbon tetrachloride	0.0041	< Stated Limit		06/13/00	AS
	Chlorobenzene	0.0041	< Stated Limit		06/13/00	AS





Enmarc 229 E. Custer Street Lemont, Illinois 60439 Fax No.: (630) 257-1650

Attn: J. Virgilio

First Lab Number: 005360 Sample Matrix: SOIL

Project Name: Morey Bldg, Downers Grove, IL

Project No.: 20.565

Sampled: 06/02/00 Received: 06/02/00

Date Reported: 06/14/00

ANALYTICAL REPORT

Field ID Lab Number Description			B2 AF05361 8-01'			
Method	Analyte	Reporting Limit (dry wt.)	Result (dry wt.)	Unit	Analysis Date	Analyst
	Chlorodibromomethane	0.0041	< Stated Limit		06/13/00	AS
	Chloroethane	0.0041	< Stated Limit		06/13/00	AS
	Chloroform	0.0041	< Stated Limit		06/13/00	AS
	Chloromethane	0.0041	< Stated Limit		06/13/00	AS
•	cis-1,2-Dichloroethene	0.916	8.74		06/14/00	AS
•	cis-1,3-Dichloropropene	0.0041	< Stated Limit		06/13/00	AS
	Dibromomethane	0.0041	< Stated Limit		06/13/00	AS
	Dichlorodifluoromethane	0.0041	< Stated Limit		06/13/00	ÁS
	Ethylbenzene	0.0041	< Stated Limit		06/13/00	AS
	Hexachlorobutadiene	0.0041	< Stated Limit		06/13/00	AS
	Isopropylbenzene (Cumene)	0.0041	< Stated Limit		06/13/00	AS
	m,p,-Xylenes	0.0082	< Stated Limit		06/13/00	AS
	Methylene chloride	0.0041	0.00627 B		06/13/00	AS
	Naphthalene	0.0041	< Stated Limit		06/13/00	AS
	n-Butylbenzene	0.0041	< Stated Limit		06/13/00	AS
	o-Xylene	0.0041	< Stated Limit		06/13/00	AS
	p-Isopropyltoluene (Cymene)	0.0041	< Stated Limit		06/13/00	AS
	Propylbenzene	0.0041	< Stated Limit		06/13/00	AS
	sec-Butylbenzene	0.0041	< Stated Limit		06/13/00	AS
	Styrene	0.0041	< Stated Limit		06/13/00	AS
Carlotte Comment	tert-Butylbenzene	0.0041		s	06/13/00	AS
	Tetrachloroethene	0.916 #1555	66.7		06/14/00	AS
	Toluene	0.0041	0.00725		06/13/00	AS
•	trans-1,2-Dichloroethene	0.0041	0.118		06/13/00	AS
	trans-1,3-Dichloropropene	0.0041	< Stated Limit		06/13/00	AS
•	Trichloroethene	0.916	5.96		06/14/00	AS
	Trichlorofluoromethane	0.0041	< Stated Limit		06/13/00	AS
	Vinyl chloride	0.0041	< Stated Limit		06/13/00	AS
	vinyi cinonac		5.5.55 E		- -	
SM 2540 B.	% Moisture	0.1	17.3	%	06/06/00	JM

B=Methylene chloride was found in the method blank at 0.00714 mg/kg and acetone was at 0.0207 mg/kg. Analytes reported on dry weight basis except for Moisture. AEA Laboratories, Inc.

Arminta P. Priddy **Laboratory Director**



Enmarc 229 E. Custer Street Lemont, Illinois 60439 Fax No.: (630) 257-1650

Attn: J. Virgilio

First Lab Number: 005360 Sample Matrix: SOIL

Project Name: Morey Bldg, Downers Grove, IL

Project No.: 20.565

Sampled: 06/02/00 Received: 06/02/00

Date Reported: 06/14/00

ANALYTICAL REPORT

Method	Field ID Lab Number Description	en de la companya del companya de la		B2 AF05362 12-14'		
Notatiles by \$250B	Method	Analyte		Result (dry wt.) Unit	Analysis Date	Analyst
Volatiles by 8260B			-	06/02/00 -	06/02/00	.IV
1,1,1,2-Tertachloroethane	SW-846 8260B	Volatiles by 8260B	-	- ma/ka		
1,1,1-Trichloroethane		1,1,1,2-Tetrachloroethane	0.00568			
1,1,2,2-Tertarchloroethane	5 6 5 4 5 4 5 4 5 4 5 4 5 4 5 4 5 4 5 4 5	1,1,1-Trichloroethane	0.00568	< Stated Limit		
1,1,2-Trichloroethane 0.00568 < Stated Limit		1,1,2,2-Tetrachloroethane	0.00568	< Stated Limit		
1,1-Dichloro-1-propene 0.00568 < Stated Limit			0.00568	< Stated Limit		
1,1-Dichloroethane 0.00568 < Stated Limit		1,1-Dichloro-1-propene	0.00568	< Stated Limit	06/13/00	
1,1-Dichloroethene 0.00568 < Stated Limit		1,1-Dichloroethane	0.00568	< Stated Limit	06/13/00	
1,2,3-Trichlorobenzene 0.00568 < Stated Limit	٠.		0.00568	< Stated Limit		
1,2,3-Trichloropropane	•	1,2,3-Trichlorobenzene	0.00568	< Stated Limit		
1,2,4-Trichlorobenzene		1,2,3-Trichloropropane	0.00568	< Stated Limit		
1,2,4-Trimethylbenzene 0.00568 < Stated Limit			0.00568	< Stated Limit		
1,2-Dibromo-3-chloropropane 0.00568 < Stated Limit		1,2,4-Trimethylbenzene	0.00568	< Stated Limit	06/13/00	
1,2-Dibromoethane 0.00568 < Stated Limit			0.00568	< Stated Limit	06/13/00	
1,2-Dichlorobenzene 0.00568 < Stated Limit		1,2-Dibromoethane	0.00568	< Stated Limit	06/13/00	
1,2-Dichloroethane 0.00568 < Stated Limit		1,2-Dichlorobenzene	0.00568	< Stated Limit	06/13/00	
1,3,5-Trimethylbenzene 0.00568 < Stated Limit		1,2-Dichloroethane	0.00568	< Stated Limit	06/13/00	
1,3,5-Trimethylbenzene 0.00568 < Stated Limit		1,2-Dichloropropane	0.00568	< Stated Limit		
1,3-Dichloropropane 0.00568 < Stated Limit			0.00568	< Stated Limit	06/13/00	
1,4-Dichlorobenzene 0.00568 < Stated Limit	and the state of the state of		0.00568	< Stated Limit	06/13/00	AS -
2,2-Dichloropropane 0.00568 < Stated Limit				< Stated Limit	06/13/00	AS
2-Butanone (MEK) 0.0114			0.00568	< Stated Limit	06/13/00	AS
2-Butanone (MEK) 0.0114 < Stated Limit		2,2-Dichloropropane	0.00568	< Stated Limit	06/13/00	AS
2-Chlorotoluene 0.00568 < Stated Limit		2-Butanone (MEK)	0.0114	< Stated Limit	06/13/00	
2-Hexanone 0.0114 < Stated Limit		2-Chlorotoluene	0.00568	< Stated Limit	06/13/00	
4-Chlorotoluene 1 0.00568 < Stated Limit		2-Hexanone	0.0114	< Stated Limit	06/13/00	AS
Acetone 0.0114 0.292 B 06/13/00 AS Benzene 0.00568 < Stated Limit			0.00568	< Stated Limit	06/13/00	AS
Benzene 0.00568 < Stated Limit		4-Methyl-2-Pentanone (MIBĶ)	0.0114	< Stated Limit	06/13/00	AS
Bromobenzene 0.00568 < Stated Limit		Acetone	0.0114	0.292 B	06/13/00	AS
Bromochloromethane 0.00568 < Stated Limit 06/13/00 AS Bromodichloromethane 0.00568 < Stated Limit		Benzene	0.00568	< Stated Limit	06/13/00	AS
Bromodichloromethane 0.00568 < Stated Limit		Bromobenzene	0.00568	< Stated Limit	06/13/00	AS
Bromoform 0.00568 < Stated Limit		Bromochloromethane	0.00568	< Stated Limit	06/13/00	AS
Bromoform 0.00568 < Stated Limit	-	Bromodichloromethane	0.00568	< Stated Limit	06/13/00	AS
Carbon disulfide 0.0114 < Stated Limit 06/13/00 AS Carbon tetrachloride 0.00568 < Stated Limit 06/13/00 AS		Bromoform	0.00568	< Stated Limit	06/13/00	AS
Carbon tetrachloride 0.00568 < Stated Limit 06/13/00 AS		Bromomethane	0.00568	< Stated Limit	06/13/00	AS
		Carbon disulfide	0.0114	< Stated Limit	06/13/00	AS
Chlorobenzene 0.00568 < Stated Limit 06/13/00 AS		Carbon tetrachloride		< Stated Limit	06/13/00	AS
		Chlorobenzene	0.00568	< Stated Limit	06/13/00	AS



Enmarc 229 E. Custer Street Lemont, Illinois 60439 Fax No.: (630) 257-1650

Attn: J. Virgilio

First Lab Number: 005360 Sample Matrix: SOIL

Project Name: Morey Bldg, Downers Grove, IL

Project No.: 20.565

Sampled: 06/02/00 Received: 06/02/00

Date Reported: 06/14/00

ANALYTICAL REPORT

Field ID Lab Number Description		perton en en en en	B2 AF05362 12-14'	,	
Method	Analyte	Reporting Limit (dry wt.)	Result (dry wt.) Unit	Analysis Date	Analyst
	Chlorodibromomethane	0.00568	< Stated Limit	06/13/00	AS
	Chloroethane	0.00568	< Stated Limit	06/13/00	AS
	Chloroform	0.00568	< Stated Limit	06/13/00	AS
	Chloromethane	0.00568	< Stated Limit	06/13/00	AS
	cis-1,2-Dichloroethene	0.00568	0.00634	06/13/00	AS
•	cis-1,3-Dichloropropene	0.00568	< Stated Limit	06/13/00	AS
	Dibromomethane	0.00568	< Stated Limit	06/13/00	AS
	Dichlorodifluoromethane	0.00568	< Stated Limit	06/13/00	ÁS
	Ethylbenzene	0.00568	< Stated Limit	06/13/00	AS
	Hexachlorobutadiene	0.00568	< Stated Limit	06/13/00	AS
	Isopropylbenzene (Cumene)	0.00568	< Stated Limit	06/13/00	AS
	m,p,-Xylenes	0.0114	< Stated Limit	06/13/00	AS
	Methylene chloride	0.00568	0.00723 B	06/13/00	AS
	Naphthalene	0.00568	< Stated Limit	06/13/00	AS
	n-Butylbenzene	0.00568	< Stated Limit	06/13/00	AS
	o-Xylene	0.00568	< Stated Limit	06/13/00	AS
	p-Isopropyltoluene (Cymene)	0.00568	< Stated Limit	06/13/00	AS
	Propylbenzene	0.00568	< Stated Limit	06/13/00	AS
	sec-Butylbenzene	0.00568	< Stated Limit	06/13/00	AS
	Styrene	0.00568	< Stated Limit	06/13/00	AS
	tert-Butylbenzene	0.00568	< Stated Limit	06/13/00	AS
	Tetrachloroethene	0.00568	0.0218	06/13/00	AS
	Toluene	0.00568	< Stated Limit	06/13/00	AS
	trans-1,2-Dichloroethene	0.00568	< Stated Limit	06/13/00	AS
	trans-1,3-Dichloropropene	0.00568	< Stated Limit	06/13/00	AS
•	Trichloroethene	0.00568	< Stated Limit	06/13/00	AS

B=Methylene chloride was found in the method blank at 0.00714 mg/kg and acetone was at 0.0207 mg/kg. Used sample B2@8-10(for moisture

< Stated Limit

< Stated Limit

17.3

Analytes reported on dry weight basis except for Moisture.

Trichlorofluoromethane

Vinyl chloride

% Moisture

AEA Laboratories, Inc.

SM 2540 B.

Arminta P. Priddy **Laboratory Director**

MOR 000619

06/13/00

06/13/00

06/05/00

%



AS

AS

JM

0.00568

0.00568

0.1



Enmarc 229 E. Custer Street Lemont, Illinois 60439 Fax No.: (630) 257-1650

Attn: J. Virgilio

First Lab Number: 005360 Sample Matrix: SOIL

Project Name: Morey Bldg, Downers Grove, IL

Project No.: 20.565

Sampled: 06/02/00 Received: 06/02/00

Date Reported: 06/14/00

ANALYTICAL REPORT

Field ID			В3		e de la companya de la companya de la companya de la companya de la companya de la companya de la companya de La companya de la co	
Lab Number			AF05363	:	2,000	
Description			4'			
Method	Analyte	Reporting	Result (dry wt.)	Unit	Analysis Date	Analyst
	-	Limit (dry wt.)	()		, 0.0 2 200	, mary or
SW-846 5035	Volatile Prep by 5035	_	06/02/00		06/02/00	107
SW-846 8260B	Volatiles by 8260B	_	-	- mg/kg	06/02/00 06/13/00	JCZ
011-040-02000	1,1,1,2-Tetrachloroethane	0.00485	- Ctated Limit	mg/kg		AS
	1,1,1-Trichloroethane	0.00485	Stated Limit Stated Limit		06/13/00	AS
	1,1,2,2-Tetrachloroethane	0.00485	< Stated Limit	•	06/13/00	AS
	1,1,2-Trichloroethane	0.00485	< Stated Limit		06/13/00	AS
	1,1-Dichloro-1-propene	0.00485	< Stated Limit		06/13/00	AS AS
	1,1-Dichloroethane	0.00485	< Stated Limit		06/13/00 06/13/00	AS AS
	1,1-Dichloroethene	0.00485	< Stated Limit			
	1,2,3-Trichlorobenzene	0.00485	< Stated Limit	•	06/13/00	AS
	1,2,3-Trichloropropane	0.00485	< Stated Limit		06/13/00	AS
	1,2,4-Trichlorobenzene	0.00485			06/13/00	AS
	1,2,4-Tricholobenzene	0.00485	< Stated Limit < Stated Limit		06/13/00	AS
	1,2-Dibromo-3-chloropropane	0.00485	< Stated Limit		06/13/00	AS
	1,2-Dibromoethane	0.00485	< Stated Limit		06/13/00	AS
	1,2-Distribution 1,2-Di	0.00485			06/13/00	AS
	1,2-Dichloroethane		< Stated Limit		06/13/00	AS
	1,2-Dichloropropane	0.00485 0.00485	< Stated Limit		06/13/00	AS
	1,3,5-Trimethylbenzene	0.00485	< Stated Limit		06/13/00	AS
	1,3-Dichlorobenzene	0.00485	< Stated Limit		06/13/00	AS
	1,3-Dichloropropane	0.00485	< Stated Limit Adda	* T.1	06/13/00	AS
	1,4-Dichlorobenzene	0.00485	< Stated Limit		06/13/00	AS
	2,2-Dichloropropane	,	< Stated Limit		06/13/00	AS
•		0.00485	< Stated Limit		06/13/00	AS
	2-Butanone (MEK)	0.0097	< Stated Limit		06/13/00	AS
	2-Chlorotoluene	0.00485	< Stated Limit		06/13/00	AS
	2-Hexanone	0.0097	< Stated Limit		06/13/00	AS
	4-Chlorotoluene	0.00485	< Stated Limit		06/13/00	AS
	4-Methyl-2-Pentanone (MIBK)	0.0097	< Stated Limit		06/13/00	AS
	Acetone	0.0097	0.159 B		06/13/00	AS
	Benzene	0.00485	0.007		06/13/00	AS
	Bromobenzene	0.00485	< Stated Limit		06/13/00	AS
	Bromochloromethane	0.00485	< Stated Limit		06/13/00	AS
•	Bromodichloromethane	0.00485	< Stated Limit		06/13/00	AS
	Bromoform	0.00485	< Stated Limit		06/13/00	AS
	Bromomethane	0.00485	< Stated Limit		06/13/00	AS
	Carbon disulfide	0.0097	< Stated Limit		06/13/00	AS
	Carbon tetrachloride	0.00485	< Stated Limit		06/13/00	AS
	Chlorobenzene	0.00485	< Stated Limit		06/13/00	AS



Enmarc 229 E. Custer Street Lemont, Illinois 60439 Fax No.: (630) 257-1650

Attn: J. Virgilio

First Lab Number: 005360 Sample Matrix: SOIL

Project Name: Morey Bldg, Downers Grove, IL

Project No.: 20.565

Sampled: 06/02/00 Received: 06/02/00

Date Reported: 06/14/00

ANALYTICAL REPORT

Field ID Lab Number Description			B3 AF05363 4'	. · • · ·	. Valuedie	ng et al market
Method	Analyte	Reporting Limit (dry wt.)	Result (dry wt.) L	Jnit	Analysis Date	Analyst
	Chlorodibromomethane	0.00485	< Stated Limit		06/13/00	AS
	Chloroethane	0.00485	< Stated Limit		06/13/00	AS
	Chloroform	0.00485	< Stated Limit		06/13/00	AS
	Chloromethane	0.00485	< Stated Limit		06/13/00	AS
	cis-1,2-Dichloroethene	0.00485	< Stated Limit		06/13/00	AS
	cis-1,3-Dichloropropene	0.00485	< Stated Limit		06/13/00 pursuitation	AS .
	Dibromomethane	0.00485	< Stated Limit	:.	06/13/00	AS
	Dichlorodifluoromethane	0.00485	< Stated Limit		06/13/00	ÆS.
	Ethylbenzene	0.00485	< Stated Limit		06/13/00	AS
	Hexachlorobutadiene	0.00485	< Stated Limit		06/13/00	AS
	Isopropylbenzene (Cumene)	0.00485	< Stated Limit		06/13/00	AS
	m,p,-Xylenes	0.0097	< Stated Limit		06/13/00	AS ··
	Methylene chloride	0.00485	0.009 B		06/13/00	AS
	Naphthalene	0.00485	< Stated Limit		06/13/00	AS
	n-Butylbenzene	0.00485	< Stated Limit		06/13/00	AS
	o-Xylene	0.00485	< Stated Limit		06/13/00	AS
	p-Isopropyltoluene (Cymene)	0.00485	< Stated Limit		06/13/00	AS
	Propylbenzene	0.00485	< Stated Limit		06/13/00	AS
	sec-Butylbenzene	0.00485	< Stated Limit		06/13/00	AS
	Styrene	0.00485	< Stated Limit		06/13/00	AS
	tert-Butylbenzene	0.00485	< Stated Limit		06/13/00	AS
	Tetrachloroethene	0.00485	Stated Limit		06/13/00	AS
	Toluene	0.00485	0.013		06/13/00	AS
	trans-1,2-Dichloroethene	0.00485	< Stated Limit		06/13/00	AS
	trans-1,3-Dichloropropene	0.00485	< Stated Limit		06/13/00	AS
•	Trichloroethene	0.00485	< Stated Limit		06/13/00	AS

B=Methylene chloride was found in the method blank at 0.0162 mg/kg and acetone was at 0.0179 mg/kg. Analytes reported on dry weight basis except for Moisture. AEA Laboratories, Inc.

0.00485

0.00485

0.1

< Stated Limit

< Stated Limit

13.8

Arminta P. Priddy **Laboratory Director**

SM 2540 B.

Trichlorofluoromethane

Vinyl chloride

% Moisture

MOR 000621

06/13/00

06/13/00

06/06/00

%



AS

AS

JM



Enmarc 229 E. Custer Street Lemont, Illinois 60439 Fax No.: (630) 257-1650

Attn: J. Virgilio

First Lab Number: 005360 Sample Matrix: SOIL

Project Name: Morey Bldg, Downers Grove, IL

Project No.: 20.565

Sampled: 06/02/00 Received: 06/02/00 Date Reported: 06/14/00

ANALYTICAL REPORT

			•			<u>.</u>
Field ID Lab Number Description	· .		B4 AF05365 6-8'			
Method	Analyte	Reporting Limit (dry wt.)	Result (dry wt.)	Unit	Analysis Date	Analyst
SW-846 5035	Volatile Prep by 5035	-	06/02/00	-	06/02/00	JCZ
SW-846 8260B	Volatiles by 8260B	•		mg/kg	06/13/00	AS
	1,1,1,2-Tetrachloroethane	0.0054	< Stated Limit		06/13/00	AS
	1,1,1-Trichloroethane	0.0054	< Stated Limit	J. 142	06/13/00	AS
	1,1,2,2-Tetrachloroethane	0.0054	< Stated Limit		06/13/00	AS
	1,1,2-Trichloroethane	0.0054	< Stated Limit	•	06/13/00	ÁS
	1,1-Dichloro-1-propene	0.0054	< Stated Limit		06/13/00	AS
	1,1-Dichloroethane	0.0054	< Stated Limit		06/13/00	AS
	1,1-Dichloroethene	0.0054	< Stated Limit	٠.	06/13/00	AS
	1,2,3-Trichlorobenzene	0.0054	< Stated Limit		06/13/00	AS
	1,2,3-Trichloropropane	0.0054	< Stated Limit	•	06/13/00	AS
	1,2,4-Trichlorobenzene	0.0054	< Stated Limit		06/13/00	AS
	1,2,4-Trimethylbenzene	0.0054	< Stated Limit		06/13/00	AS
	1,2-Dibromo-3-chloropropane	0.0054	< Stated Limit		06/13/00	AS
	1,2-Dibromoethane	0.0054	< Stated Limit	. ,	06/13/00	AS
	1,2-Dichlorobenzene	0.0054	< Stated Limit		06/13/00	AS
	1,2-Dichloroethane	0.0054	< Stated Limit		06/13/00	AS
	1,2-Dichloropropane	0.0054	< Stated Limit		06/13/00	AS
	1,3,5-Trimethylbenzene	0.0054	< Stated Limit		06/13/00	AS
	1,3-Dichlorobenzene	0.0054	< Stated Limit	1 23	06/13/00	AS
	1,3-Dichloropropane	0.0054	< Stated Limit		06/13/00	AS
	1,4-Dichlorobenzene	0.0054	< Stated Limit		06/13/00	AS ·
-	2,2-Dichloropropane	0.0054	< Stated Limit		06/13/00	AS
	2-Butanone (MEK)	0.0108	< Stated Limit		06/13/00	AS
	2-Chlorotoluene	0.0054	< Stated Limit		06/13/00	AS
	2-Hexanone	0.0108	< Stated Limit		06/13/00	AS
	4-Chlorotoluene	0.0054	< Stated Limit		06/13/00	AS
	4-Methyl-2-Pentanone (MIBK)	0.0108	< Stated Limit		06/13/00	AS
	Acetone	0.0108	0.652 B		06/13/00	AS
	Benzene	0.0054	< Stated Limit		06/13/00	AS
	Bromobenzene	0.0054	< Stated Limit		06/13/00	AS
	Bromochloromethane	0.0054	< Stated Limit		06/13/00	AS
•	Bromodichloromethane	0.0054	< Stated Limit		06/13/00	AS
	Bromoform	0.0054	< Stated Limit		06/13/00	AS
	Bromomethane	0.0054	< Stated Limit		06/13/00	AS
	Carbon disulfide	0.0108	< Stated Limit		06/13/00	AS
	Carbon tetrachloride	0.0054	< Stated Limit		06/13/00	AS
	Chlorobenzene	0.0054	< Stated Limit		06/13/00	AS

MOR 000622





Enmarc

229 E. Custer Street Lemont, Illinois 60439 Fax No.: (630) 257-1650

Attn: J. Virgilio

First Lab Number: 005360

Sample Matrix: SOIL

Project Name: Morey Bldg, Downers Grove, IL

Project No.: 20.565

Sampled: 06/02/00 Received: 06/02/00

Date Reported: 06/14/00

ANALYTICAL REPORT

Field ID
Lab Number
Description
Method

B4 AF05365 6-8'

Analyte	Reporting Limit (dry wt.)	Result (dry wt.)	Unit	Analysis Date	Analyst
Obligationsmomethers	0.0054	< Stated Limit		06/13/00	AS
Chlorodibromomethane	0.0054	< Stated Limit		06/13/00	AS
Chloroethane	0.0054	< Stated Limit		06/13/00	AS
Chloroform	0.0054	< Stated Limit		06/13/00	AS
Chloromethane	0.0054	0.023		06/13/00	AS ·
cis-1,2-Dichloroethene	0.0054	< Stated Limit		06/13/00	AS
cis-1,3-Dichloropropene	0.0054	Stated Limit Stated Limit		06/13/00	AS
Dibromomethane	0.0054	< Stated Limit		06/13/00	ÁS
Dichlorodifluoromethane		< Stated Limit		06/13/00	AS
Ethylbenzene	0.0054	< Stated Limit		06/13/00	AS
Hexachlorobutadiene	0.0054		* * * * * * * * * * * * * * * * * * *	06/13/00	AS
Isopropylbenzene (Cumene)	0.0054	< Stated Limit		06/13/00	AS
m,p,-Xylenes	0.0108	< Stated Limit		06/13/00	AS
Methylene chloride	0.0054	0.006 B	•	06/13/00	AS AS
Naphthalene	0.0054	< Stated Limit		06/13/00	AS
n-Butylbenzene	0.0054	< Stated Limit		06/13/00	AS
o-Xylene	0.0054	< Stated Limit	*.*	06/13/00	AS
p-Isopropyltoluene (Cymene)	0.0054	< Stated Limit	* * * *	06/13/00	AS
Propylbenzene	0.0054	< Stated Limit			AS AS
sec-Butylbenzene	0.0054	< Stated Limit		06/13/00	AS AS
Styrene	0.0054	< Stated Limit		06/13/00	AS AS
tert-Butylbenzene	0.0054	< Stated Limit		06/13/00	
Tetrachloroethene	3.06	220.8 B	THE PROPERTY.	06/13/00	AS .
Toluene	0.0054	0.018		06/13/00	AS
trans-1,2-Dichloroethene	0.0054	< Stated Limit		06/13/00	AS
trans-1,3-Dichloropropene	0.0054	< Stated Limit		06/13/00	AS
Trichloroethene	0.0054	0.496		06/13/00	AS
Trichlorofluoromethane	0.0054	< Stated Limit		06/13/00	AS
Vinyl chloride	0.0054	< Stated Limit		06/13/00	AS
% Moisture	0.1	14.8	%	06/06/00	JM

B=Methylene chloride was found in the method blank at 0.0162 mg/kg and acetone was at 0.0179 mg/kg. Analytes reported on dry weight basis except for Moisture. AEA Laboratories, Inc.

Arminta P. Priddy Laboratory Director

SM 2540 B.



Enmarc 229 E. Custer Street Lemont, Illinois 60439 Fax No.: (630) 257-1650

Attn: J. Virgilio

First Lab Number: 005360 Sample Matrix: SOIL

Project Name: Morey Bldg, Downers Grove, IL

Project No.: 20.565

Sampled: 06/02/00 Received: 06/02/00

Date Reported: 06/14/00

ANALYTICAL REPORT

Field ID Lab Number Description			B5 AF05366 4'		h.;	
Method	Analyte	Reporting Limit (dry wt.)	Result (dry wt.)	Unit	Analysis Date	Analyst
SW-846 5035	Volatile Prep by 5035	-	06/02/00	-	06/02/00	JCZ
SW-846 8260B	Volatiles by 8260B	-	-	mg/kg	06/13/00	AS
	1,1,1,2-Tetrachloroethane	0.00355	< Stated Limit	0 0	06/13/00	AS
	1,1,1-Trichloroethane	0.00355	< Stated Limit	Section 1	06/13/00	AS
	1,1,2,2-Tetrachloroethane	0.00355	< Stated Limit		06/13/00	AS
	1,1,2-Trichloroethane	0.00355	< Stated Limit		06/13/00	ÁS
	1,1-Dichloro-1-propene	0.00355	< Stated Limit		06/13/00	AS
	1,1-Dichloroethane	0.00355	< Stated Limit		06/13/00	AS
	1,1-Dichloroethene	0.00355	< Stated Limit		06/13/00	AS
	1,2,3-Trichlorobenzene	0.00355	< Stated Limit		06/13/00	AS
	1,2,3-Trichloropropane	0.00355	< Stated Limit		06/13/00	AS
	1,2,4-Trichlorobenzene	0.00355	< Stated Limit		06/13/00	AS
	1,2,4-Trimethylbenzene	0.00355	< Stated Limit		06/13/00	AS
	1,2-Dibromo-3-chloropropane	0.00355	< Stated Limit		06/13/00	AS ·
	1,2-Dibromoethane	0.00355	< Stated Limit	•	06/13/00	AS
	1,2-Dichlorobenzene	0.00355	< Stated Limit		06/13/00	AS
	1,2-Dichloroethane	0.00355	< Stated Limit		06/13/00	AS
	1,2-Dichloropropane	0.00355	< Stated Limit		06/13/00	AS
	1,3,5-Trimethylbenzene	0.00355	< Stated Limit		06/13/00	AS
	1,3-Dichlorobenzene	0.00355	< Stated Limit	항화: 4.0		AS
	1,3-Dichloropropane	0.00355	< Stated Limit	, î. i. Î	06/13/00	AS
	1,4-Dichlorobenzene	0.00355	< Stated Limit		06/13/00	AS
•	2,2-Dichloropropane	0.00355	< Stated Limit		06/13/00	AS
	2-Butanone (MEK)	0.0071	< Stated Limit		06/13/00	AS
	2-Chlorotoluene	0.00355	< Stated Limit		06/13/00	AS
	2-Hexanone	0.0071	< Stated Limit		06/13/00	AS
	4-Chlorotoluene	0.00355	< Stated Limit		06/13/00	AS
	4-Methyl-2-Pentanone (MIBK)	0.0071	< Stated Limit		06/13/00	AS
	Acetone	0.0071	0.225 B		06/13/00	AS
	Benzene	0.00355	0.00602		06/13/00	AS
	Bromobenzene	0.00355	< Stated Limit		06/13/00	AS
	Bromochloromethane	0.00355	< Stated Limit		06/13/00	AS
	Bromodichloromethane	0.00355	< Stated Limit		06/13/00	AS
	Bromoform	0.00355	< Stated Limit		06/13/00	AS
	Bromomethane	0.00355	< Stated Limit		06/13/00	AS
	Carbon disulfide	0.0071	< Stated Limit		06/13/00	AS
	Carbon tetrachloride	0.00355	< Stated Limit		06/13/00	AS
	Chlorobenzene	0.00355	< Stated Limit		06/13/00	AS





Enmarc 229 E. Custer Street Lemont, Illinois 60439

Fax No.: (630) 257-1650

Attn: J. Virgilio

First Lab Number: 005360 Sample Matrix: SOIL

Project Name: Morey Bldg, Downers Grove, IL

Project No.: 20.565

Sampled: 06/02/00 Received: 06/02/00

Date Reported: 06/14/00

ANALYTICAL REPORT

Field ID Lab Number Description			B5 AF05366 4'	est *		· .
Method	Analyte	Reporting	Result (dry wt.)	Unit	Analysis Date	Analyst
		Limit (dry wt.)				
	Chlorodibromomethane	0.00355	< Stated Limit		06/13/00	AS
	Chloroethane	0.00355	< Stated Limit		06/13/00	AS
	Chloroform	0.00355	< Stated Limit		06/13/00	AS
	Chloromethane	0.00355	< Stated Limit		06/13/00	AS
	cis-1,2-Dichloroethene	0.00355	0.0646		06/13/00	AS
	cis-1,3-Dichloropropene	0.00355	Stated Limit	•	06/13/00	AS
	Dibromomethane	0.00355	< Stated Limit	The Notes	06/13/00	AS
	Dichlorodifluoromethane	0.00355	< Stated Limit		06/13/00	ÁS
	Ethylbenzene	0.00355	< Stated Limit		06/13/00	AS
	Hexachlorobutadiene	0.00355	< Stated Limit		06/13/00	AS
•	Isopropylbenzene (Cumene)	0.00355	< Stated Limit		06/13/00	AS
	m,p,-Xylenes	0.0071	< Stated Limit		06/13/00	AS
	Methylene chloride	0.00355	< Stated Limit		06/13/00	AS
	Naphthalene	0.00355	< Stated Limit		06/13/00	AS
	n-Butylbenzene	0.00355	< Stated Limit		06/13/00	AS
	o-Xylene	0.00355	< Stated Limit		06/13/00	AS a sa
	p-isopropyltoluene (Cymene)	0.00355	< Stated Limit		06/13/00	AS
	Propylbenzene	0.00355	< Stated Limit		06/13/00	AS
	sec-Butylbenzene	0.00355	< Stated Limit		06/13/00	AS
	Styrene	0.00355	< Stated Limit		06/13/00	AS
	tert-Butylbenzene	0.00355	< Stated Limit		06/13/00	AS
	Tetrachloroethene	0.0618	4.03		06/13/00	. AS leeding
	Toluene	0.00355	0.00922	*	06/13/00	AS
	trans-1,2-Dichloroethene	0.00355	0.00470		06/13/00	AS
	trans-1,3-Dichloropropene	0.00355	< Stated Limit		06/13/00	AS
	Trichloroethene	0.00355	0.250		06/13/00	AS
	Trichlorofluoromethane	0.00355	< Stated Limit		06/13/00	AS
	Vinyl chloride	0.00355	< Stated Limit		06/13/00	AS
	1		Status Enrill		23.10.00	, 10

B=Methylene chloride was found in the method blank at 0.0162 mg/kg and acetone was at 0.0179 mg/kg. Analytes reported on dry weight basis except for Moisture. AEA_Laboratories, Inc.

12.0

0.1

Arminta P. Pridy

% Moisture

Laboratory Director

SM 2540 B.

MOR 000625

06/06/00

%



JM



Enmarc 229 E. Custer Street Lemont, Illinois 60439 Fax No.: (630) 257-1650

Attn: J. Virgilio

First Lab Number: 005360 Sample Matrix: SOIL

Project Name: Morey Bldg, Downers Grove, IL

Project No.: 20.565

Sampled: 06/02/00 Received: 06/02/00

Date Reported: 06/14/00

ANALYTICAL REPORT

Method Analyte Reporting Limit (dry wt.) Result (dry wt.) Unit Analysis Date Analyst SW-846 5035 Volatile Prep by 5035 - 06/02/00 - 06/03/00 JCZ SW-846 8260B Volatiles by 8260B - 0.00728 < Stated Limit 06/13/00 AS 1,1,1-Trichloroethane 0.00728 < Stated Limit 06/13/00 AS 1,1,2-Trichloroethane 0.00728 < Stated Limit 06/13/00 AS 1,1-Dichloro-1-propene 0.00728 < Stated Limit 06/13/00 AS 1,1-Dichloro-1-propene 0.00728 < Stated Limit 06/13/00 AS 1,1-Dichloro-1-propene 0.00728 < Stated Limit 06/13/00 AS 1,1-Dichloroethane 0.00728 < Stated Limit 06/13/00 AS 1,1-Dichloroethene 0.00728 < Stated Limit 06/13/00 AS 1,2-3-Trichloropropane 0.00728 < Stated Limit 06/13/00 AS 1,2-Dibromo-3-cholloropopane 0.00728 < Stated Limit 06/13/	Field ID Lab Number Description			B6 AF05367 4'			
SW-846 8260B Volatiles by 8260B - - mg/kg 06/13/00 AS 1,1,1-2-Tetrachloroethane 0.00728 < Stated Limit 06/13/00 AS 1,1-2-Tichloroethane 0.00728 < Stated Limit 06/13/00 AS 1,1-2-Trichloroethane 0.00728 < Stated Limit 06/13/00 AS 1,1-Dichloro-1-propene 0.00728 < Stated Limit 06/13/00 AS 1,1-Dichloro-thane 0.00728 < Stated Limit 06/13/00 AS 1,1-Dichloroethane 0.00728 < Stated Limit 06/13/00 AS 1,2,3-Trichlorobenzene 0.00728 < Stated Limit 06/13/00 AS 1,2,3-Trichloropropane 0.00728 < Stated Limit 06/13/00 AS 1,2,4-Trintehylbenzene 0.00728 < Stated Limit 06/13/00 AS 1,2-Frinchloropropane 0.00728 < Stated Limit 06/13/00 AS 1,2-Dichlorobenzene 0.00728 < Stated Limit 06/13/00 AS 1,2-Dichloropropane 0.00728 <td< th=""><th>•</th><th>Analyte</th><th></th><th>Result (dry wt.)</th><th>Unit</th><th>Analysis Date</th><th>Analyst</th></td<>	•	Analyte		Result (dry wt.)	Unit	Analysis Date	Analyst
1,1,1,2-Tetrachloroethane			-	06/02/00	-	06/02/00	JCZ
1,1,1-Trichloroethane 0.00728 < Stated Limit	SW-846 8260B		•	-	mg/kg	06/13/00	AS
1,1,2,2-Tetrachloroethane 0.00728 < Stated Limit			0.00728	< Stated Limit		06/13/00	AS
1.1,2-Trichloroethane 0.00728 < Stated Limit		• •	0.00728	< Stated Limit	* .	06/13/00 - 1/2-1	AS:
1,1-Dichloro-1-propene 0.00728 < Stated Limit				< Stated Limit		06/13/00	
1,1-Dichloroethane 0.00728 < Stated Limit				< Stated Limit		06/13/00	
1,1-Dichloroethene 0.00728 < Stated Limit				< Stated Limit		06/13/00	AS
1,2,3-Trichlorobenzene 0.00728 < Stated Limit				< Stated Limit		06/13/00	AS
1,2,3-Trichloropropane 0.00728 < Stated Limit				< Stated Limit		06/13/00	AS ASSE
1,2,4-Trichlorobenzene 0.00728 < Stated Limit		1,2,3-Trichlorobenzene	0.00728	< Stated Limit		06/13/00	AS.
1,2,4-Trimethylbenzene 0.00728 < Stated Limit		1,2,3-Trichloropropane	0.00728	< Stated Limit		06/13/00	AS
1,2-Dibromo-3-chloropropane 0.00728 < Stated Limit				< Stated Limit		06/13/00	AS
1,2-Dibromoethane 0.00728 < Stated Limit		1,2,4-Trimethylbenzene	0.00728	< Stated Limit		06/13/00	AS
1,2-Dichlorobenzene 0.00728 < Stated Limit		1,2-Dibromo-3-chloropropane	0.00728	< Stated Limit		06/13/00	AS
1,2-Dichloroethane 0.00728 < Stated Limit				< Stated Limit		06/13/00	AS
1,2-Dichloropropane 0.00728 < Stated Limit			0.00728	< Stated Limit		06/13/00	AS
1,3,5-Trimethylbenzene 0.00728 < Stated Limit		1,2-Dichloroethane	0.00728	< Stated Limit		06/13/00	AS
1,3-Dichlorobenzene 0.00728 < Stated Limit		1,2-Dichloropropane	0.00728	< Stated Limit		06/13/00	AS
1,3-Dichloropropane 0.00728 < Stated Limit		1,3,5-Trimethylbenzene	0.00728	< Stated Limit		06/13/00	AS
1,4-Dichlorobenzene 0.00728 < Stated Limit				< Stated Limit		06/13/00	AS
2,2-Dichloropropane 0.00728 < Stated Limit				< Stated Limit		06/13/00	
2-Butanone (MEK) 0.0146 0.0472 06/13/00 AS 2-Chlorotoluene 0.00728 < Stated Limit		1,4-Dichlorobenzene		< Stated Limit		06/13/00	AS
2-Chlorotoluene 0.00728 < Stated Limit		2,2-Dichloropropane		< Stated Limit		06/13/00	AS
2-Hexanone 0.0146 < Stated Limit		2-Butanone (MEK)	0.0146	0.0472		06/13/00	AS
4-Chlorotoluene 1 0.00728 < Stated Limit		2-Chlorotoluene	0.00728	< Stated Limit		06/13/00	AS
4-Methyl-2-Pentanone (MIBK) 0.0146 < Stated Limit		2-Hexanone	0.0146	< Stated Limit		06/13/00	AS
Acetone 0.0146 0.236 B 06/13/00 AS Benzene 0.00728 0.00835 06/13/00 AS Bromobenzene 0.00728 < Stated Limit		4-Chlorotoluene	0.00728	< Stated Limit		06/13/00	AS
Benzene 0.00728 0.00835 06/13/00 AS Bromobenzene 0.00728 < Stated Limit		4-Methyl-2-Pentanone (MIBK)	0.0146	< Stated Limit		06/13/00	AS
Bromobenzene 0.00728 < Stated Limit 06/13/00 AS		Acetone	0.0146	0.236 B		06/13/00	AS
		Benzene	0.00728	0.00835		06/13/00	AS
Bromochloromethane 0.00728 < Stated Limit 06/13/00 AS		Bromobenzene	0.00728	< Stated Limit		06/13/00	AS
promodiliorometriane 0.00120 Stated Ellittic 00/13/00 AS		Bromochloromethane	0.00728	< Stated Limit		06/13/00	AS
. Bromodichloromethane 0.00728 < Stated Limit 06/13/00 AS		Bromodichloromethane	0.00728	< Stated Limit		06/13/00	AS
Bromoform 0.00728 < Stated Limit 06/13/00 AS		Bromoform	0.00728	< Stated Limit		06/13/00	AS
Bromomethane 0.00728 < Stated Limit 06/13/00 AS		Bromomethane	0.00728	< Stated Limit		06/13/00	AS
Carbon disulfide 0.0146 < Stated Limit 06/13/00 AS		Carbon disulfide	0.0146	< Stated Limit		06/13/00	AS
Carbon tetrachloride 0.00728 < Stated Limit 06/13/00 AS		Carbon tetrachloride	0.00728	< Stated Limit		06/13/00	AS
Chlorobenzene 0.00728 < Stated Limit 06/13/00 AS		Chlorobenzene	0.00728	< Stated Limit		06/13/00	AS



Enmarc 229 E. Custer Street Lemont, Illinois 60439

Fax No.: (630) 257-1650

Attn: J. Virgilio

First Lab Number: 005360 Sample Matrix: SOIL

Project Name: Morey Bldg, Downers Grove, IL

Project No.: 20.565

Sampled: 06/02/00 Received: 06/02/00

Date Reported: 06/14/00

ANALYTICAL REPORT

Field ID Lab Number Description			B6 AF05367 4'			
Method	Analyte	Reporting	Result (dry wt.)	Unit	Analysis Date	Analyst
		Limit (dry wt.)	` ,			•
	Chlorodibromomethane	0.00728	< Stated Limit		06/13/00	AS
	Chloroethane	0.00728	< Stated Limit		06/13/00	AS
	Chloroform	0.00728	< Stated Limit		06/13/00	AS
	Chloromethane	0.00728	< Stated Limit		06/13/00	AS
	cis-1,2-Dichloroethene	0.00728	0.0388		06/13/00	AS
4	cis-1,3-Dichloropropene	0.00728	< Stated Limit		06/13/00	AS
	Dibromomethane	0.00728	< Stated Limit		06/13/00	AS
	Dichlorodifluoromethane	0.00728	< Stated Limit		06/13/00	ÁS
	Ethylbenzene	0.00728	< Stated Limit		06/13/00	AS
	Hexachlorobutadiene	0.00728	< Stated Limit		06/13/00	AS
	Isopropylbenzene (Cumene)	0.00728	< Stated Limit		06/13/00	AS Assess
	m,p,-Xylenes	0.0146	< Stated Limit		06/13/00	AS
	Methylene chloride	0.00728	0.0124 B		06/13/00	AS
	Naphthalene	0.00728	< Stated Limit		06/13/00	AS
	n-Butylbenzene	0.00728	< Stated Limit		06/13/00	AS
	o-Xylene	0.00728	< Stated Limit		06/13/00	AS
	p-Isopropyltoluene (Cymene)	0.00728	< Stated Limit		06/13/00	AS
	Propylbenzene	0.00728	< Stated Limit		06/13/00	AS
	sec-Butylbenzene	0.00728	< Stated Limit		06/13/00	AS
	Styrene	0.00728	< Stated Limit		06/13/00	AS
	tert-Butylbenzene	0.00728	< Stated Limit		06/13/00	AS
	Tetrachloroethene	0.692	97.7		06/13/00	AS
	Toluene	0.00728	0.0150		06/13/00	AS
	trans-1,2-Dichloroethene	0.00728	< Stated Limit		06/13/00	AS
	trans-1,3-Dichloropropene	0.00728	< Stated Limit		06/13/00	AS
•	Trichloroethene	0.00728	0.129		06/13/00	AS
	Trichlorofluoromethane	0.00728	< Stated Limit		06/13/00	AS
	Vinyl chloride	0.00728	< Stated Limit		06/13/00	AS
	1				00/00/00	

B=Methylene chloride was found in the method blank at 0.0162 mg/kg and acetone was at 0.0179 mg/kg. Analytes reported on dry weight basis except for Moisture. AEA Laboratories, Inc.

14.0

%

0.1

armita P. Podi Arminta P. Priddy

% Moisture

Laboratory Director

SM 2540 B.

MOR 000627

06/06/00



JM



Enmarc 229 E. Custer Street Lemont, Illinois 60439 Fax No.: (630) 257-1650

Attn: J. Virgilio

First Lab Number: 005360 Sample Matrix: SOIL

Project Name: Morey Bldg, Downers Grove, IL

Project No.: 20.565

Sampled: 06/02/00 Received: 06/02/00

Date Reported: 06/14/00

ANALYTICAL REPORT

Field ID Lab Number Description			B7 AF05368 4'	:		
Method	Analyte	Reporting Limit (dry wt.)	Result (dry wt.)	Unit	Analysis Date	Analyst
SW-846 5035	Volatile Prep by 5035	-	06/02/00	-	06/02/00	JCZ
SW-846 8260B	Volatiles by 8260B	-	-	mg/kg	06/13/00	AS
1	1,1,1,2-Tetrachloroethane	0.00475	< Stated Limit		06/13/00	AS
	1,1,1-Trichloroethane	0.00475	< Stated Limit		06/13/00	AS -
•	1,1,2,2-Tetrachloroethane	0.00475	< Stated Limit		06/13/00	AS
	1,1,2-Trichloroethane	0.00475	< Stated Limit		06/13/00	ÁS
	1,1-Dichloro-1-propene	0.00475	< Stated Limit		06/13/00	AS
	1,1-Dichloroethane	0.00475	< Stated Limit		06/13/00	AS
	1,1-Dichloroethene	0.00475	< Stated Limit	,	06/13/00	AS
	1,2,3-Trichlorobenzene	0.00475	< Stated Limit		06/13/00	AS
	1,2,3-Trichloropropane	0.00475	< Stated Limit		06/13/00	AS
	1,2,4-Trichlorobenzene	0.00475	< Stated Limit		06/13/00	AS
	1,2,4-Trimethylbenzene	0.00475	< Stated Limit		06/13/00	AS
	1,2-Dibromo-3-chloropropane	0.00475	< Stated Limit		. 06/13/00	AS
.,	1,2-Dibromoethane	0.00475	< Stated Limit		06/13/00	AS
	1,2-Dichlorobenzene	0.00475	< Stated Limit		06/13/00	AS
	1,2-Dichloroethane	0.00475	< Stated Limit		06/13/00	AS
	1,2-Dichloropropane	0.00475	< Stated Limit		06/13/00	AS
	1,3,5-Trimethylbenzene	0.00475	< Stated Limit		06/13/00	AS
	1,3-Dichlorobenzene	0.00475	< Stated Limit		06/13/00	AS
	1,3-Dichloropropane	0.00475	< Stated Limit		06/13/00	AS
	1,4-Dichlorobenzene	0.00475	< Stated Limit		06/13/00	AS
,	2,2-Dichloropropane	0.00475	< Stated Limit		06/13/00	AS
	2-Butanone (MEK)	0.0095	< Stated Limit		06/13/00	AS
	2-Chlorotoluene	0.00475	< Stated Limit		06/13/00	AS
	2-Hexanone	0.0095	< Stated Limit		06/13/00	AS
	4-Chlorotoluene	0.00475	< Stated Limit		06/13/00	AS
	4-Methyl-2-Pentanone (MIBK)	0.0095	< Stated Limit		06/13/00	AS
	Acetone	0.0095	0.272 B		06/13/00	AS
	Benzene	0.00475	0.007		06/13/00	AS
	Bromobenzene	0.00475	< Stated Limit		06/13/00	AS
	Bromochloromethane	0.00475	< Stated Limit		06/13/00	AS
	Bromodichloromethane	0.00475	< Stated Limit		06/13/00	AS
	Bromoform	0.00475	< Stated Limit		06/13/00	AS
	Bromomethane	0.00475	< Stated Limit		06/13/00	AS
	Carbon disulfide	0.0095	< Stated Limit		06/13/00	AS
	Carbon tetrachloride	0.00475	< Stated Limit		06/13/00	AS
	Chlorobenzene	0.00475	< Stated Limit		06/13/00	AS

MOR 000628





Enmarc

229 E. Custer Street Lemont, Illinois 60439

Fax No.: (630) 257-1650 Attn: J. Virgilio First Lab Number: 005360 Sample Matrix: SOIL

Project Name: Morey Bldg, Downers Grove, IL

Project No.: 20.565

Sampled: 06/02/00 Received: 06/02/00

Date Reported: 06/14/00

ANALYTICAL REPORT

Field ID Lab Number Description	e de la companya della companya della companya de la companya della	B7 AF05368 4'				
Method	Analyte	Reporting	Result (dry wt.)	Unit	Analysis Date	Analyst
•		Limit (dry wt.)			-	·
	Chlorodibromomethane	0.00475	< Stated Limit		06/13/00	AS
	Chloroethane	0.00475	< Stated Limit		06/13/00	AS
	Chloroform	0.00475	< Stated Limit		06/13/00	AS
	Chloromethane	0.00475	< Stated Limit		06/13/00	AS
	cis-1,2-Dichloroethene	0.00475	< Stated Limit		06/13/00	AS
er er er afar er er er er er er	cis-1,3-Dichloropropene	0.00475	< Stated Limit		06/13/00	AS
	Dibromomethane	0.00475	< Stated Limit		06/13/00	AS
•	Dichlorodifluoromethane	0.00475	< Stated Limit		06/13/00	AS
	Ethylbenzene	0.00475	< Stated Limit		06/13/00	AS
	Hexachlorobutadiene	0.00475	< Stated Limit		06/13/00	AS
Carlotte Company	Isopropylbenzene (Cumene)	0.00475	< Stated Limit	•	06/13/00	AS
•	m,p,-Xylenes	0.0095	< Stated Limit		06/13/00	AS
•	Methylene chloride	0.00475	< Stated Limit		06/13/00	AS
,	Naphthalene	0.00475	< Stated Limit		06/13/00	AS
	n-Butylbenzene	0.00475	< Stated Limit		06/13/00	AS
	o-Xylene	0.00475	< Stated Limit	,	06/13/00	AS
	p-Isopropyltoluene (Cymene)	0.00475	< Stated Limit		06/13/00	AS
	Propylbenzene	0.00475	< Stated Limit		06/13/00	AS
•	sec-Butylbenzene	0.00475	< Stated Limit		06/13/00	AS
	Styrene	0.00475	< Stated Limit		06/13/00	AS
	tert-Butylbenzene	0.00475	< Stated Limit		06/13/00	AS
1	Tetrachloroethene	0.00475	0.147		06/13/00	AS
	Toluene	0.00475	0.010		06/13/00	AS
•	trans-1,2-Dichloroethene	0.00475	< Stated Limit		06/13/00	AS
	trans-1,3-Dichloropropene	0.00475	< Stated Limit		06/13/00	AS
	Trichloroethene	0.00475	< Stated Limit		06/13/00	AS
	Trichlorofluoromethane	0.00475	< Stated Limit		06/13/00	AS
	Vinyl chloride	0.00475	< Stated Limit		06/13/00	AS
SM 2540 B.	% Moisture	0.1	14.8	%	06/06/00	JM

B=Methylene chloride was found in the method blank at 0.0162 mg/kg and acetone was at 0.0179 mg/kg. Analytes reported on dry weight basis except for Moisture. AEA_Laboratories, Inc.

Arminta P. Priddy Laboratory Director